



NWB Tools

Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

131119 3AM-GRA1015 Hamlet of Rankin Inlet - Amendment - Notice of Application - Kivalliq Region

1 message

Christopher Tickner <ctickner@nunavut.ca>

Wed, Dec 11, 2013 at 8:37 AM

To: Robin Ikkutisluk <robin.ikkutisluk@nunavutwaterboard.org>

Cc: Info at NIRB <info@nirb.ca>, licensing@nunavutwaterboard.org, phyllis.beaulieu@nwb-oen.ca, Brian Aglukark <aglukark@nunavut.ca>

Good morning Ms. Ikkutisluk,

RE: 131119 3AM-GRA1015 Hamlet of Rankin Inlet

Thank you for your email.

The Nunavut Planning Commission reviewed the above noted project as part of NPC File reference NWB – NWB File #3AM GRA0207 – Hamlet of Rankin Inlet Water/Sewage/Solid Waste/Land Farm and determined that it conformed to the Keewatin Regional Land Use Plan. I have attached the NPC's conformity determination with this email for your records.

The NPC has reviewed the amendment request and supporting materials found on the NWB Ftp Site for this project and has determined that it does not change the scope of the originally reviewed project to an extent that would warrant a further review by the NPC at this time. The original terms agreed to as part of the conformity determination must form part of any authorisation or permit issued for this project proposal.

Should the scope of the project change, NPC would respectfully request that the project proposal be forwarded to our office for further review.

I have cc'd the Nunavut Impact Review Board (NIRB) with this email for their information.

Please contact me should you have any questions.

Sincerely,

Christopher

Christopher Tickner MCIP, RPP

Senior Planner

Nunavut Planning Commission

P.O. Box 2101 Cambridge Bay, NU X0B 0C0

Phone: (867) 983-4634

Fax: (867) 983-4626

Website: www.nunavut.ca

From: Robin Ikkutisluk [<mailto:robin.ikkutisluk@nunavutwaterboard.org>]

Sent: November-19-13 2:29 PM

To: jtologanak@gov.nu.ca; arlen.foster@stantec.com

Cc: Phyllis Beaulieu; Megan Porter

Subject: 131119 3AM-GRA1015 Hamlet of Rankin Inlet - Amendment - Notice of Application - Kivalliq Region

Hello,

Please see attached letter giving notice of Application for an amendment to water licence 3AM-GRA1015 Hamlet of Rankin Inlet.

Regards,

Robin Ikkutisluk



Robin Ikkutisluk- ᑭᑭᑦᑭᑦᑭᑦ ᑭᑭᑦᑭᑦᑭᑦ

Licence Administrator Assistant- Administratrice des permis

ᑭᑭᑦᑭᑦᑭᑦᑭᑦ ᑭᑭᑦᑭᑦᑭᑦ- Laisaligniniqmun Ikavugti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᑭᑭᑦᑭᑦᑭᑦᑭᑦ ᑭᑭᑦᑭᑦᑭᑦᑭᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.NunavutWaterBoard.org

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᑭᑭᑦᑭᑦᑭᑦᑭᑦ 119
ᑭᑭᑦᑭᑦᑭᑦᑭᑦ, ᑭᑭᑦᑭᑦᑭᑦ X0B 1J0

Titigaqavua 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᑭᑭᑦᑭᑦᑭᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᑭᑭᑦᑭᑦᑭᑦ / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



NWB - NWB File #3AM GRA0207 - Hamlet of Rankin Inlet WaterSewageSolid WasteLand Farm

CD.pdf

102K