

Google Groups

141023 3AM-GRA1015 Final Analysis Received-OMLE

me < phyllis.beaulieu@nwb-oen.ca>

Oct 22, 2014 3:17 PM

Posted in group: **Licensing Department**

NOTICE TO ALL PARTIES:

Attached for your information is the final certificate of analysis and summary for the requested water chemistry data for the Type "A" Water Licence Amendment.

The deadline for additional submissions has not changed at this time. If it becomes necessary to change the deadline for additional submissions all parties will be notified accordingly.

Regards,



Phyllis Beaulieu- ᐱᕐᕐᕐ ᕐᕐᕐ

Manager of Licensing- Responsable des Permis

ᐱᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ - Maniayuyuq Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ ᕐᕐᕐ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

ᕐᕐᕐᕐᕐᕐ 119

ᕐᕐᕐᕐᕐᕐ, ᕐᕐᕐᕐᕐᕐ X0B 1J0

Titigagaqvia 119

Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᕐᕐᕐᕐᕐᕐ / Hivayuta: (867) 360-6338 | Fax / Télécopieur / ᕐᕐᕐᕐᕐᕐ / Fax-kut: (867) 360-6369

Toll Free / Sans Free / ᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐ / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email