

#### NOTES:


1. INSTALL NEW FLOORING: JOHNSONITE TARKETT IQ OPTIMA, COLOR TYPE SILVER BELL, C/W 8mm FIR PLYWOOD UNDERLAYMENT AND INSTALLED TO MANUFACTURER'S SPECIFICATIONS.
2. REMOVE EXISTING FLOORING
3. DELETE ADDITION OF 2 LAYERS OF 16mm TYPE DRYWALL ON CEILING
4. BUILD NEW 38X89 1 HR FIRE RATED WALL AGAINST BATHROOM WALL. WALL TO BE CONSTRUCTED AS FOLLOWS:
  - 2 LAYERS OF 16mm TYPE X DRYWALL
  - 38X89 STUDS @ 400 O.C.
  - 2 LAYERS OF 16mm TYPE X DRYWALL
  - FIRE STOP JOINT AT CEILING

0 1 3m  
1:50

1. This drawing is the exclusive property of Nuna Burnside and the reproduction of any part without prior written consent of this office is strictly prohibited.
2. The contractor shall verify all dimensions, levels, and datums on site and report any discrepancies or omissions to this office prior to construction.
3. This drawing is to be read and understood in conjunction with all other plans and documents applicable to this project.
4. Do not scale the drawings.

Issue / Revision	Date
1 ISSUED FOR CLIENT REVIEW	OCTOBER 2012
2 ISSUED FOR 66% SUBMISSION	NOVEMBER 2012
3 ISSUED FOR 99% SUBMISSION	JANUARY 2013
4 ISSUED FOR TENDER	FEBRUARY 2013
5 REVISED AS PER ADDENDUM 1 TO 4 AND ISSUED FOR CONSTRUCTION	APRIL 2013

PERMIT TO PRACTICE  
Nuna Burnside Engineering & Environmental Ltd.  
Signature: *[Signature]*  
Date: *May 27/13*  
PERMIT NUMBER: P 535  
The Association of Professional Engineers,  
Geologists and Geophysicists of NWT/NU



**Nuna BURNSIDE**

Nuna Burnside Engineering & Environmental LTD.  
106B Scurfield Blvd., Winnipeg, Manitoba  
telephone (204) 949-7110 fax (204) 949-7111  
web www.neeganburnside.com

Client:

GOVERNMENT OF NUNAVUT  
COMMUNITY & GOVERNMENT  
SERVICES

RANKIN INLET  
SEWAGE TREATMENT PLANT

Drawing Title:

GENERAL LAYOUT - 2ND FLOOR

Drawn By	Checked By	Drawing No.
J. JUACALLA	G. POPOWICH	B-3
Scale 1:50	Project No. 300031281	