



ᓄᓇᓴᓐ ᐃᓕᓕᓴᓐᓐ ᑲᓂᓕᓴᓐᓴᓐ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

**File No. 3AM-GRA1015/
Short Term Renewal**

May 20, 2015

John Kusugak
A/Regional Director, Kivalliq Region
Government of Nunavut, Department of
Community and Government Services (GN-
CGS)
P.O. Box 490, Rankin Inlet, NU, X0C 0G0

jpkusugak@gov.nu.ca

Megan Lusty, EIT
Municipal Planning Engineer-In-Training
Government of Nunavut, Department of
Community and Government Services (GN-
CGS)
P.O. Box 490, Rankin Inlet, NU, X0C 0G0

Email: mlusty@gov.nu.ca

**Subject: Licence 3AM-GRA1015 - Hamlet of Rankin Inlet, Nunavut;
Short Term Renewal**

Dear Mr. Kusugak and Ms. Lusty:

Please find attached, the Short Term Renewal of Licence No. 3AM-GRA1015 Type "A" granted to the Government of Nunavut, Community and Government Services (GN-CGS), as issued by the Nunavut Water Board (NWB) (**Motion 2015-08-P10-03**) pursuant to its authority under Article 13 of the *Agreement between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada* and the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* (NWNSTRA).

Please note that, as requested in the application, there are no changes to the terms and conditions of the original Licence related to the use of Water and deposit of Waste, with the exception of the change to the term of the Licence, of up to a maximum of 180 days, to allow for the continued processing of the full Type "A" Water Licence renewal application, which is currently before the NWB.

Also please note that this Short Term Renewal Licence must be approved by the Minister under s. 56 of the NWNSTRA to take effect, and accordingly, the NWB has forwarded the issued Licence to the Minister for his consideration under a separate cover.

The NWB recommends that the Licensee consult the attached Reasons for Decision and comments received by interested persons on the Application during the thirty (30) day review/comment period.

Sincerely,

DRAFT

Thomas Kabloona
Nunavut Water Board
Chair

TK/kk/ri

Attachment: Licence No. 3AM-GRA1015 – Short Term Renewal
Reasons for Decision
Comments – AANDC

Cc: Distribution – Kivalliq

3AM-GRA1015 - SHORT TERM RENEWAL LICENCE

Licensee:	GOVERNMENT OF NUNAVUT, COMMUNITY AND GOVERNMENT SERVICES
Licence No:	3AM-GRA1015 Type “A”
Licence Issued:	June 9, 2010
Minister Approval of Licence:	July 28, 2010
Amendment No. 1 Issuance:	December 23, 2014
Minister Approval of Amendment No. 1	January 25, 2015
Short Term Renewal Issuance	May 20, 2015
Short Term Renewal Expiry	November 27, 2015

Pursuant to its authority under Article 13 of the *Agreement between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada* and the *Nunavut Waters* and the *Nunavut Surface Rights Tribunal Act*, with respect to an application for short term renewal licence received from Government of Nunavut, Community and Government Services (GN-CGS or Applicant or Licensee) on March 26, 2015 for the Hamlet of Rankin Inlet and the Reasons for Decision issued by the Nunavut Water Board (NWB) on that application, the NWB hereby issues this Short Term Renewal to Licence No. 3AM-GRA1015 as follows:



NUNAVUT WATER BOARD WATER LICENCE RENEWAL (SHORT TERM)

Pursuant to the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* and the *Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in right of Canada*, the Nunavut Water Board, hereinafter referred to as the Board, hereby grants to

GOVERNMENT OF NUNAVUT, COMMUNITY AND GOVERNMENT SERVICES

(Licensee)

P.O. BAG 002, GOVERNMENT OF NUNAVUT
RANKIN INLET, NUNAVUT X0C 0G0

(Mailing Address)

hereinafter called the Licensee, the right to alter, divert or otherwise use water or dispose of waste for a period subject to restrictions and conditions contained within this Licence amendment:

Licence Number/Type:	3AM-GRA1015 TYPE "A"
Water Management Area:	WILSON WATERSHED (13)
Location:	RANKIN INLET, KIVALLIQ REGION, NUNAVUT LATITUDE 62°49'24'' N, LONGITUDE 92°06'53'' W
Classification:	MUNICIPAL UNDERTAKING
Purpose:	USE OF WATERS
Quantity of Water use not to Exceed:	2,330 CUBIC METERS PER DAY FROM NIPISSAR LAKE, 3,485 CUBIC METERS PER DAY FROM CHAR RIVER TO NIPISSAR LAKE
Licence Issuance:	JUNE 9, 2010
Expiry of Licence:	MAY 31, 2015 (PLUS A MAXIMUM OF 180 DAYS), TO EXPIRE ON NOVEMBER 27, 2015

This Short Term Renewal Licence issued and recorded at Gjoa Haven, Nunavut, includes and is subject to the annexed conditions.

All remaining terms and conditions of Licence No. 3AM-GRA1015 Type "A" dated June 9, 2010, and Licence Amendment No. 1 dated December 23, 2014, shall continue to apply.

This Short Term Renewal Licence is issued and recorded at Gjoa Haven, Nunavut on May 19, 2015.

Thomas Kabloona,
Nunavut Water Board
Chair

APPROVED
BY:

The Honourable Bernard Valcourt
Minister of Aboriginal Affairs and Northern
Development Canada

DATE LICENCE APPROVED: