

Current Folder: **Sent****[Sign Out](#)**[Compose](#) [Addresses](#) [Folders](#) [Options](#) [Search](#) [Help](#)

SquirrelMail

[Message List](#) | [Delete](#) | [Edit](#)  
[Message as New](#)[Previous](#) | [Next](#)[Forward](#) | [Forward as Attachment](#) | [Reply](#) | [Reply All](#)**Subject:** 3BM-IGL0308 Renewal application**From:** "Phyllis Beaulieu" <[licensing@nunavutwaterboard.org](mailto:licensing@nunavutwaterboard.org)>**Date:** Wed, September 10, 2008 6:12 pm**To:** [BRoy@gov.nu.ca](mailto:BRoy@gov.nu.ca)**Cc:** [DCarr@nunavutwaterboard.org](mailto:DCarr@nunavutwaterboard.org) ([more](#))**Priority:** Normal**Read receipt:** requested**Options:** [View Full Header](#) | [View Printable Version](#) | [Download this as a file](#)

Further to your letter of September 2, 2008 regarding Igloolik renewal application.....attached is a copy of the questionnaire to be completed and submitted to the Nunavut Water Board.

There have been no annual reports submitted since the license was issued in 2003. We would expect to receive, at the very least, the annual report for 2007 as currently we have no documentation to go on. It is also important to provide the OM Manual what should have been submitted back in May of 2004.

If there has been a closure of any facilities, such as waste disposal sites, there is a requirement for at least a summary of remediation action taken to date.

If you have any questions, please contact Don Carr who is the technical advisor working on this file.

Regards,

Phyllis Beaulieu  
Manager of Licensing  
Nunavut Water Board  
P.O. Box 119  
Gjoa Haven, NU X0B 1J0  
Phone: (867) 360-6338, Ext 26  
Fax: (867) 360-6369  
Email: [licensing@nunavutwaterboard.org](mailto:licensing@nunavutwaterboard.org)

**Attachments:**

[080222 Supplemental Questionnaire for Municipalities-ITAE.doc](#)

268 k [ application/octet-stream ]

[Download](#)