



NWB Tools

Ida Porter <ida.porter@nwb-oen.ca>

Igloolik water license amendment - 3BM-IGL1520

Cynthia Ene <cynthia.ene@nwb-oen.ca>

Mon, Feb 29, 2016 at 5:02 PM

To: Jonathan Savoy <jsavoy@nunavut.ca>

Cc: "licensing@nwb-oen.ca" <licensing@nwb-oen.ca>, Alana Vigna <AVigna@nunavut.ca>, David Hohnstein <david.hohnstein@nwb-oen.ca>

Good Afternoon,

Considering the regulations I believe there are two main Type "A" triggers for the 3BM-IGL1520 (Hamlet of Igloolik) file:

1) 'Off-stream storage of water' (reservoir capacity):

(3) Any use of waters related to the alteration of flow of waters, or storage of waters, by means of dams or dikes (a) any use of waters related to the storage of 60 000 m³ or more

2) The rate at which water is removed from the source (m³/day):

Use of 300 m3 or more per day (from source, added)

The information currently on file is that the Hamlet's reservoir capacity is 65,000m3 and looking to expand, with a maximum water use authorized at 81,208m3. If they've stated in their project proposal application that the withdrawal rate will also exceed 299m3/day, then this would also be a Type "A" trigger.

Moreover, in the previously issued water licence for 3BM-IGL1520, the NWB included the following statement on page 5: *"The Licensee is also advised that according to the Schedule 2 of Regulations any use of 300 cubic metres or more per day and any use of waters related to the storage of 60,000 cubic metres or more water would require a Type "A" Water Licence"* ...so this Type A trigger should not be a surprise to the Licensee.

Hope this information is helpful, if you have any further questions, please feel free to follow-up.

Thanks,



Cynthia Ene, MBA, P.Eng. - ٧٩٢٤ ٤٤٥٧

Technical Advisor- Conseillère Technique

ᐱᓗᑦᓴᓄᓐ ᓴᓖᕈᕋᕆᓂᓐ ᐅᓚᓴᓴᓇᓴᓂᓐ- Piluagnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᐅᑦ ᐃᒪᑦᓕᓂᐅᑦ ᑲᓂᒪᐅᑦᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjøa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

ဂဏန်းအရပ် ၁၁၉

▷(12) $\mathbb{A}^1$ $\times$ $\mathbb{A}^1$ $\rightarrow$ $\mathbb{A}^1$

Titigacaqvia 119

Ughmama, NU, X013 110

Tel / Téléphone / ስልክ / Hivayauta: (867) 360-6338 Fax / Télécopieur / ስልክ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᓴᓂᓄᓇᓂᓄᓇ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

[Quoted text hidden]