




### 3BM-IGL1520 Hamlet of Igloolik Renewal Amendment (New Type "A" 3AM-IGL----) application completeness check

To: "SAO (SAO@Iglolook.ca)" <SAO@Iglolook.ca>, "Roy, Bhabesh" <broy@gov.nu.ca>  
Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Please see attached for 3BM-IGL1520 Renewal Amendment, the NWB is inviting interested persons to comment on the following:

- All comments, recommendations and any requests for information (IRs) should be submitted no later than **March 24, 2020** (5:00 p.m. ET).

Richard



**Manager of Licensing - Responsable des Permis** ᐃᑦᓂᕋᖅ ᐱᔭᕆᕈᖅ  
Laislaginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT  
ᓄᓇᑭᑦ ᐃᓕᓕᓄᓐᑦ ᑲᑎᓕᓐᑦ - NUNAVUT IMALIRIYIN  
KATIMAYINGI

P.O. Box 119  
Gjøa Haven, NU X0B 1J0

C.P. 119  
Gjoa Haven, NU X0B 1J0

በጥናቱ ልዩ  
ጥያቄዎች, ዓላማዎች X013 110

Titigaqavua 119  
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369  
Toll Free / Sans / ᐅᐅᐅᐅᐅᐅᐅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 **200302 3BM-IGL1520 Renewal Application Completeness-OASE.pdf**  
715K