

## Hamlet of Igloolike New Type "A" Water Licence Application Public Hearing Update

Richard Dwyer < richard.dwyer@nwb-oen.ca>

Tue, Nov 17, 2020 at 5:05 PM

To: "SAO (SAO@Igloolik.ca)" <SAO@igloolik.ca>, "Roy, Bhabesh" <br/> sroy@gov.nu.ca>

Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Good afternoon,

In response to recently issued guidance from public health authorities restricting all public gatherings across Nunavut in order to prevent the spread of COVID-19, and as requested by the Applicant, the Hamlet of Igloolik on November 13, 2020, the Nunavut Water Board has made the decision to cancel the in-person Public Hearing scheduled to take place in Igloolik on December 8 and 9, 2020, associated with the Board's consideration of the Hamlet of Igloolik's Application for a New Type "A" Water Licence No: 3AM-IGL---- to authorize the Hamlet's continued water use and deposit of waste associated with a municipal undertaking.

In order to ensure the health and safety of the community of Igloolik and all participants in the Board's Public Hearing process, the Board's decision-making Panel for the file has directed that the form of Public Hearing be modified from the originally scheduled In-person Public Hearing to a Written Public Hearing.

To reflect the change in format, the Board directs that the Applicant and Intervenors participating in the written Public Hearing comply with the following timelines:

- On or before November 26, 2020 the Intervenors must file their final written submissions and any closing arguments they wish the Board to consider in decision-making in respect of the Application;
- On or before December 3, 2020 the Applicant must file their final written submission and any closing arguments they wish the Board to consider in decision-making in respect of the Application;
- Once all submissions have been received and reviewed by the Board, the NWB will determine whether the Board
  has received all information required to proceed to decision-making, and if so, the Board will provide notice that the
  Public Hearing Record is closed and will remit the matter to the NWB's decision-making Panel for their decision

Regards,

Richard



## Richard Dwyer- へ<sup>c</sup>んっc コロムマっ

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT ΔαΦ<sup>C</sup> ΔLCαΡ<sup>C</sup> ԵΛLΡ<sup>Q</sup>Γ- NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119 Gjoa Haven, NU X0B 1J0 C.P. 119 Gjoa Haven, NU X0B 1J0

 Titigaqaqvia 119 Uqhuqtuuq, NU, X0B 1J0

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

