



April 30, 2013

Sean Joseph
Technical Advisor
PO Box 119
Gjoa Haven, NU
X0B 1J0

ᐱᕐᓂᐱᕐ ᓄᓇᕐᕐᕐᕐᕐᕐ

ᐱᐱᕐᓂᐱᕐ 460

ᐱᕐᓂᐱᕐ, ᓄᓇᕐᕐ

X0A 0H0

ᐱᕐᓂᐱᕐ (867) 979-5666

ᐱᕐᓂᐱᕐ (867) 975-5922

City of Iqaluit

Box 460

Iqaluit, Nunavut

X0A 0H0

Phone (867) 979-5666

Fax (867) 975-5922

Ville d'Iqaluit

C.P. 460

Iqaluit, Nunavut

X0A 0H0

Tél. (867) 979-5666

Télécop. (867) 979-5922

j.hussey@city.iqaluit.nu.ca

www.iqaluit.nu.ca

Re: Response to April 8, 2013 letter regarding Application for Water License Renewal

Dear Mr. Joseph:

This letter is in response to your April 8th, 2013 letter regarding the City of Iqaluit's Application for Renewal of Water License 3AM-IQA0611. The table below provides information on the status of the outstanding items that you listed in your letter. The City of Iqaluit (City) intends on submitting the outstanding information by August 30, 2013.

Water License Reference	Description	Status
Part B, Item 1	Annual Reports for 2007, 2008 and 2012	2012 Annual Report was submitted to NWB electronically on April 5, 2013. Outstanding 2007 and 2008 Annual Reports are to be submitted by August 30, 2013.
Part B, Item 3	Water Balance for Lake Geraldine and Assessment of recharge needs for City's long-term demand	Currently under development. To be submitted by August 30, 2013.
Part D, Item 5	2008 Dam Safety Inspection (DSI) Report for Lake Geraldine	This was not completed, therefore no inspection report can be provided for 2008. DSI Reports for 2009, 2010, 2011 and 2012 were all completed and have been submitted to the NWB.

Part E, Item 8	2008, 2010, 2012 Dam Safety Inspection Report for the Sewage Lagoon	<p>The 2008 inspection was missed, therefore the next was completed in 2009 and inspections continued bi-annually from that date.</p> <p>The 2006, 2009 and 2011 inspection reports have all been submitted to the NWB and the next inspection is scheduled for 2013.</p>
Part E, Item 10	Long-term Solid Waste Management Plan	Currently under development. To be submitted by August 30, 2013.
Part I, Item 7	A QA/QC Plan	Currently under development. To be submitted by August 30, 2013.
Part J, Item 1	A Conceptual Abandonment and Restoration Plan for West 40 Landfill Site	Currently under development. To be submitted by August 30, 2013.

In your list, you also requested the City of Iqaluit's responses to Aboriginal Affairs and Northern Development Canada's (AANDC) 2012, 2011, 2010, 2009 and 2008 inspection reports. The City of Iqaluit has responded to these inspection report items in its previously submitted 2009-2012 Annual Water License Reports. The 2008 response will be included in the forthcoming 2008 Annual Water License Report discussed in the table above.

The City understands from your letter that it must either withdraw one of the applications on file (the 2012 Renewal Application or the 2006 Amendment Application) or combine both applications. The City is interested in meeting with the Nunavut Water Board to find out what the process is to combine the applications. **Would it be possible to set up a meeting the week of May 6, 2013 to discuss this matter in more detail?** At this meeting, the City would also like to discuss your recommendation to include the augmentation of Lake Geraldine as part of the scope of the renewal application.

The City looks forward to working with the Nunavut Water Board throughout this process. If you have any questions or concerns, please do not hesitate to contact me (phone: 867-979-5666, email: j.hussey@city.iqaluit.nu.ca) or Meagan Leach,

Director of Engineering and Sustainability (phone: 867-979-6363 ext. 226, email: m.leach@city.iqaluit.nu.ca).

Sincerely,

A handwritten signature in black ink that reads "John Hussey". The signature is written in a cursive, flowing style.

John Hussey
Chief Administrative Officer
City of Iqaluit

Cc: Meagan Leach, Director of Engineering and Sustainability, City of Iqaluit
Phyllis Beaulieu, Manager of Licensing, Nunavut Water Board

