

3AM-IQA1626 City of Iqaluit water licence amendment application Technical Review

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Mon, May 6, 2019 at 3:04 PM

To: Matthew Hamp <M.Hamp@city.iqaluit.nu.ca>, Amy Elgersma <A.Elgersma@city.iqaluit.nu.ca>

Cc: Licensing Department <licensing@nwb-oen.ca>

Bcc: Distro Iqaluit <distro-3am-iqa@nwb-oen.ca>, Josip <Josip.Deronja@colliersprojectleaders.com>

Good afternoon,

The Nunavut Water Board requests City of Iqaluit respond by May 13, 2019 to the attached comments received during the technical review of water licence amendment application. The following are the next steps:

- May 13, 2019: Applicant to provide responses to comments;
- May 16, 2019: NWB to circulate the draft Agenda;
- May 21, 2019: Parties and Applicant to provide presentations for the Technical Meeting, confirm their attendance and provide feedback on draft Agenda;
- May 23, 2019: NWB to circulate the final Agenda; and
- May 27-28, 2019: Teleconference Technical Meeting and Pre-hearing Conference.

Regards,

Richard

Richard Dwyer- $\Omega^{\infty} \mathcal{P}^{\infty} \mathcal{C} \rightarrow \mathcal{C}$

Manager of Licensing - Responsable des Permis ᐃᑦᓴᓂᐱᕈᖅ ᐃᑲᕋᒃᓴᓂᐱᕈᖅ Maniyaayuq
Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓄᐱᑦ ᑲᑎᓕᓄᐱᑦ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

၂၀၁၄ ခုနှစ် အတွက်
ပုံနှိပ်မှု နှင့် ပုံနှိပ်မှု X013 110

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



190506 3AM-IQA1626_CIRNAC_TECHNICAL_REVIEW_COMMENTS_APEX_RESUPPLY-IMLE.pdf

91K