

3AM-IQA1626 Next Steps for Public Hearing City of Iqaluit water licence amendment application

Richard Dwyer < richard.dwyer@nwb-oen.ca>

Thu, Jul 11, 2019 at 10:35 AM

To: Amy Elgersma <A.Elgersma@city.iqaluit.nu.ca>, Matthew Hamp <M.Hamp@city.iqaluit.nu.ca>, Josip <Josip.Deronja@colliersprojectleaders.com>, Madeleine Redfern <MayorRedfern@city.iqaluit.nu.ca>, Romeyn Stevenson <R.Stevenson@city.iqaluit.nu.ca>, Erica Bonhomme <Erica.Bonhomme@stantec.com> Cc: Licensing Department licensing@nwb-oen.ca>

Bcc: Distro Igaluit <distro-3am-iga@nwb-oen.ca>

Good morning,

The Nunavut Water Board acknowledges receipt July 10, 2019 of the Water Balance Model Report, submitted in response to commitments #1 and #2 of the Pre-Hearing Conference Decision Report Issued by the NWB on June 3, 2019. Parties are reminded of the following dates for the next steps leading up to the Public Hearing:

- All further and final written submissions to be provided by Interveners and interested members of the public must be filed with the Board on or before Monday, **July 15, 2019**;
- Any parties who wish to request simultaneous French interpretation services be provided at the Public Hearing are required to make this request to the Board on or before Monday, **July 15, 2019**;
- All further and final responses of the Applicant to the information filed to date must be filed with the Board on or before Monday, July 22, 2019;
- All parties must file any final summary presentations for the Board's consideration and/or closing arguments with the Board on or before Monday, July 29, 2019;
- Public Hearing August 8-9, 2019, in the City of Igaluit, subject to final confirmation.

In addition, you will find attached a letter from the City of Iqaluit requesting the ability to pump water prior to the completion of a public hearing. Formal correspondence in response to this letter will follow shortly.

Regards,

Richard



Richard Dwyer- へ^cんって コロムイ^c

Manager of Licensing - Responsable des Permis <>CO> CASCOCIO Maniyauyuq Laisaliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT ΔΩ ΔLC Ω > C ΔLC Ω C b Ω L 2° C - NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119 Gjoa Haven, NU X0B 1J0 C.P. 119 Gjoa Haven, NU X0B 1J0

Daysja, 00 9t XOB 110

Titigaqaqvia 119 Ughighing, NU, X0B 1J0

Tel / Téléphone / ۲ペナンC / Hivayauta: (867) 360-6338 | Fax / Télécopieur / 2646 / Fax-kut: (867) 360-6369 Toll Free / Sans / <\P56\CO56 / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



After the penser a l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

2 attachments



190710 19123143-TM-Rev0-Water Balance Modelling-02July2019-IMLE.pdf



190710 3AM-IQA1626 Letter NWB Request for Immediate Approval July 10 2019-IMLE.pdf 320K