

## 

September 15, 2000

Nunavut Water Board P.O. Box 119 Gjoa Haven, NU X0E 1J0

X0E 1J0

Re: Water License Renewal Application



To whom it May Concern;

Please find attached our application for a five-year renewal of Water License NWB31QA9900. As discussed in Mr. Tidball's September 8<sup>th</sup> letter, we plan to submit the Supplementary Questionnaire and Project Summary before the pre-hearing meeting on September 25<sup>th</sup>. Should you have any questions please do not hesitate to call.

Sincerely;

Matthew Hough, FA.T.

Director, Engineering and Public Works

INTERNAL DIK

Ъ' 05

FAX NO.

ZEP-15-2000 FRI 12:45 PM



P.O. BOX 119 GJOA HAVEN, NT XOE 1JO

TEL: (867) 360-6338 FAX: (867) 360-6369 kNK5 wmoEp5 vtmpq NUNAVUT WATER BOARD NUNAVUT IMALIRIYIN KATIMAYINGI

## WATER LICENCE APPLICATION FORM

Application f	for: (check one)			
New	_ Amendment	√ Renewal	Assignm	nent
LIGENCE-NO	only)			
I. NAME	AND MAILING A ACANT/LICENSE	ADDRESS OF		ESS OF CORPORATE ICE IN CANADA (if applicable)
P.O. BO	CIPALITY OF IQAI OX 460 JIT NT XOA 0H0	LUIT	N/A	
Phone: (867) 9 Fax: (867) 9 e-mail: hough(	79-5910		Fax:	
SEE F  Latitude: 6	g) FIGURE 1 63° 44' N	Longi	itude: <u>: 68° 4</u>	phical map, indicating the main components of
WATI	ER LICENCE RI			
5. TYPE of undertakings list	OF UNDERTAKIN sted in "bold")	IG (A supplementary q	ucstionnaire must	t be submitted with the application for
Advance	l evelopment ed Exploration tory Drilling	Remote/Tourism  Municipal Power Other (describe):	•	

6. WATER USE					
<ul> <li>✓ To obtain water</li> <li>_ To modify the bed or bank of a watercourse</li> <li>_ To alter the flow of, or store, water</li> <li>_ To cross a watercourse</li> </ul> To divert a watercourse — Other (describe): _ Other (describe):					
7. QUANTITY OF WATER INVOLVED (litres per second, litres per day or cubic metres per year, including both quantity to be used and quality to be returned to source)  1,200,000 litres per day (average)					
8. WASTE (for each type of waste describe: composition, quantity, methods of treatment and disposal, etc.)  SEE SUPPLEMENTARY QUESTIONNAIRE  V Sewage Waste oil V Solid Waste Greywater V Hazardous Sludges V Bulky Items/Scrap Metal Other (describe):					
9. PERSONS OR PROPERTIES AFFECTED BY THIS UNDERTAKING (give name, mailing address and location; attach if necessary)  Land Use Permit (NOT APPLICABLE)  DIAND Yes No					
10. PREDICTED ENVIRONMENTAL IMPACTS OF UNDERTAKING AND PROPOSED MITIGATION MEASURES (direct, indirect, cumulative impacts, etc.)  SEE SUPPLEMENTARY QUESTIONNAIRE  NIRB Screening (NOT APPLICABLE) Yes No					

Page 2 of 2

11. INUIT WATER RIGHTS	
Will the project or activity substantially affect the quality, quantity, or flow of water flowing through Inuit Owned Lands and the rights of Inuit under Article 20 of the Nunavut Land Claims Agreement?	•
NO	ı
If yes, has the applicant entered into an agreement with the Designated Inuit organization to pay compensation for any los or damage that may be caused by the alteration. If no compensation agreement has been made, how will compensation be determined?	ess e
12. CONTRACTORS AND SUB-CONTRACTORS (name, address and functions)	$\dashv$
NONE	
HONE	
13. STUDIES UNDERTAKEN TO DATE (list and attach copies of studies, reports, research, etc.)	4
SEE SUPPLEMENTARY QUESTIONNAIRE	
SEE SUITEEMENTART QUESTIONNAIRE	
14. THE FOLLOWING DOCUMENTS MUST BE INCLUDED WITH THE APPLICATION FOR THE REGULATORY PROCESS TO BEGIN  Supplementary Questionnaire (where applicable: see section 5) Yes No If no, date expected Sept. 25, 200	10
Inuktitut/English Summary of Project Yes V No If no, date expected Sept. 25, 2000	)
Application fee \$30.00 (c/o of Receiver General for Canada) No No No No No	_
15. PROPOSED TIME SCHEDULE	$\dashv$
Annual (or) \( \frac{1}{2} \) Multi Year	
Start Date: January 1, 2001 Completion Date: December 31, 2005	
Matthew Hough Works & Engineering Works & Engineering	0
Name (Print) Title (Print) Signature Date	
or Nungvut Water Board use only PPLICATION FEE Amount: S Receipt No.:	Nig.
ATER USE DEPOSIT Amount: \$ Receipt No.:	

Page 3 of 3