Google Groups

NWB Final Comments on the Technical Review of the City of Iqaluit's 2018 Annual Report; Water Licence No. 3AM-IQA1626

me <kayla.carter@nwb-oen.ca>

Nov 15, 2019 11:08 AM

Posted in group: Distro Qikiqtani

Good Morning Matthew,

Please find attached NWB Final comments for Water Licence No. 3AM-IQA1626. Attachment has been uploaded to Nunavut Water Boards online registry, and can be found at the following link: ftp://ftp.nwb-oen.ca/registry/3%20MUNICIPAL/3A/3AM%20-%20Municipality/3AM-IQA1626/3%20TECH/B%20GENERAL/2%20ANNUAL%20RPT/2018/

Regards,

Kayla



Kayla Carter- b△ b5⊃5

Licensing Administrator Assistant - Administratrice des permis ヘベットへつってんの・・・ Δ bマー・・ Laisaliriniomum Ikavuoti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT OQPC ALCAPC BOLPPO- NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119 Gjoa Haven, NU X0B 1J0

C.P. 119 Gjoa Haven, NU X0B 1J0 DUZA. ™™ XOB 110

Titigaqaqvia 119 Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / イペトン(/ Hivayauta: (867) 360-6338 | Fax / Télécopieur / みらず / Fax-kut: (867) 360-6369

Toll Free / Sans / くつらっしょう / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



🚰 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email