



NOTES:

- ② EXISTING 20mm Ø "K/TC" PIPING PRESENTLY SERVING EXISTING UNIT HEATER UH-5 IS TO BE REMOVED. SEE DWG M-01. RUN NEW 20mm Ø SUPPLY AND RETURN PIPING FROM EXISTING "K/TC" SUPPLY AND RETURN PIPING TO NEW WALL FIN RADIATION IN THE LAB AND ELECTRICAL ROOMS AS SHOWN.
- ③ EXISTING UNIT HEATER.



17203-103rd Avenue
EDMONTON, ALBERTA
T5S 1J4 CANADA

Tel. 780-488-6600
Fax. 780-488-2112
www.eorthtech.co

**PERMIT TO PRACTICE
EARTH TECH (CANADA) INC.**

Signo

Date _____

PERMIT NUMBER: P 005
The Association of Professional Engineers,
Geologists and Geophysicists of the NWT/NL

Stamp

REVISIONS	
No.	Date
Description	
0	2005 03/04
ISSUED FOR TENDER	



Design
S.D.K.

1.5

Approved

Checked

Project Title
CITY OF IQALUIT
WASTEWATER
TREATMENT PLANT
PHASE 1

Drawing Title

UPPER LEVEL MECHANICAL PLAN

SCALE
AS SHOWN

Project No.

Date

Drawing No.	Revision
-------------	----------

M132