



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Lift Station #1 Sludge Disposal into Sewage Lagoon

Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Wed, Apr 20, 2022 at 12:55 PM

To: [Symon Ghosh <S.Ghosh@iqaluit.ca>](mailto:S.Ghosh@iqaluit.ca)

Cc: "licensing@nwb-oen.ca" <licensing@nwb-oen.ca>, "assol.kubeisinova@nwb-oen.ca" <assol.kubeisinova@nwb-oen.ca>, Amy Elgersma <a.elgersma@iqaluit.ca>, Josip Deronja - Colliers <Josip.Deronja@colliersprojectleaders.com>, "Wright, Jared" <Jared.Wright@colliersprojectleaders.com>, Simon Doiron <S.Doiron@iqaluit.ca>

Sumon,

Although some information is already provided within your letter, however, a little more information within the request for modification will be appreciated, especially a discussion about other potential options. Also, as I advised you during our call, the NWB will not be able to issue an approval/acceptance letter by April 25 as we will make the request publicly available for any potential comments/questions from third parties or public members.

Thank you.



Karén Kharatyan, Ph. D- ԵՂՁ ԵՏՈՅՁ

[illegible]

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓂᓪ ᐃᓚᓕᓂᓪᓴᓪ ᑲᓂᓚᓪᓴᓪ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gioa Haven, NU X0B 1J0

C.P. 119
Gioa Haven, NU X0B 1J0

በበና ሌግ
ጋራ ሌግ ሌግ X0B 1J0

Titigaqavua 119
Uqhuqtuua, NU, X0B 1J0

Tel / Téléphone / ᐃᓕᓕᓐᓂᓐ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐃᓕᓕᓐᓂᓐ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐃᓕᓕᓐᓂᓐ / Akiituuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courriel électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Wed, Apr 20, 2022 at 12:24 PM Karén Kharatyan <karen.kharatyan@nwb-oen.ca> wrote:

Hi Sumon.

Based on this email and our discussion the City is seeking to bypass the wastewater treatment plant and transfer sludge and wastewater directly to the lagoon which is not a regular activity. This seems to be a modification to the waste disposal activities or facilities governed under Part G of the Licence. So as per Part G of the Licence the City should submit a request for a modification, providing the rationale for this proposed modification, expected timelines for activities, engineering drawings (if any), any monitoring during and following the activities. Please check this Part of the Licence and make sure you cover the requirements included.

Also, you mentioned in your email that this activity was planned for last October so the question is whether there were any requests or discussions with NWB at that time or not? The reason I am asking is due to the fact of another modification request submitted in November 2021 so I am wondering whether the November 2021 modification and this current request are related to each other or are different/independent activities?

Regards,



Δ^aΔ^bΩ^cΔ^dΠ^e- Hivuliati Pilvaanaactulicentitut

KATIMAYINGI

Titigaqavua 119
Uqhuqtuuq, NU, X0B 1J0

Toll Free / Sans / ᐱᓕᑭᑦᑐᑦᔨᓂᑦ / Akiittug: 1-855-521-3745

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(s) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

On Wed, Apr 20, 2022 at 12:13 PM Sumon Ghosh <S.Ghosh@iqaluit.ca> wrote:

Thank you for taking the time to discuss with me about the project we are planning to start shortly. Please find attached a letter describing the process of cleaning wet well of Lift Station # 1 and discharging the sludge into the lagoon.

Sumon



867.979.5636 S.Ghosh@iqaluit.ca

 · City of Iqaluit · Ville d'Iqaluit
867.979.5600 www.iqaluit.ca

