NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Water Licence No: 3AM-IQA1626, Type “A”; City of Iqaluit; Modification to the Potable Water Treatment Facility for operation of a Mobile Water Treatment Plant

Richard Dwyer <richard.dwyer@nwb-oen.ca> Fri, Nov 12, 2021 at 10:25 AM
To: cao@iqaluit.ca, Josip <Josip.Deronja@colliersprojectleaders.com>
Bcc: Distro Iqaluit <distro-3am-iqa@nwb-oen.ca>

Good morning,

Please find attached approval of Water Licence No: 3AM-IQA1626, Type “A”; City of Iqaluit; Modification to the Potable Water Treatment Facility for operation of a Mobile Water Treatment Plant.

Regards,

Richard

Richard Dwyer - ᓇᑦᓱᕐᑕ ᑐᐊᐃᔪᕐ - he\him\his
Manager of Licensing- Responsable des permis
ᐊᐅᓚᑦᑎᐅ ᓚᐃᓴᓕᓇᓂᖅᒧᑦ- Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᓇᐅᑦ ᑲᑎᒪᔨᖏᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0
C.P. 119 Gjoa Haven (Nunavut), X0B 1J0
ᑎᑎᕋᖕᒐᕐᒪ 119 ᐅᑦᓱᕐᒥᓐ, ᓄᓇᕗᑦ X0B 1J0
Titigaqaqvia 119 Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᓱᕋᔭᐅᑖ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᑲᔪᒃᑯᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐊᑭᕐᑲᖕᒋᑦᑐᖅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

211112 3AM-IQA1626 GN MWTP Modification-OAKE.pdf
107K