



NWB Tools

Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

[Licensing] Re: calling you

5 messages

Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Fri, Jul 25, 2014 at 9:32 AM

To: "Roy, Bhabesh" <BRoy@gov.nu.ca>

Cc: Licensing Department <licensing@nwb-oen.ca>

Bhabesh,

One more thing please: It seems the actual Lab results for 3BM-PAN Pangnirtung licence weren't attached with the 2013 Annual Report (just pdf icons). Could you please forward the lab results as well files with previously required info (Old lagoon Decommissioning Plan, revised Application) to our licensing.

I am doing my best to have more and less acceptable for public review application to be able to sent it for review asap.

Regards,



On Fri, Jul 25, 2014 at 8:32 AM, Karén Kharatyan <karen.kharatyan@nwb-oen.ca> wrote:

Good morning Bhabesh,

One quick question please: Your May 13, 2014 states in section **5. Abandonment and Restoration** that A. Old Sewage Lagoon: *Please see attached the decommissioning plan.*

I can't really see any plan, perhaps you could clarify which document is supposed to be this plan?

Regards,



On Thu, Jul 24, 2014 at 1:39 PM, Roy, Bhabesh <BRoy@gov.nu.ca> wrote:

You are there ?

Bhabesh Roy, [M.A.Sc.](#), P.Eng.

Municipal Planning Engineer

Community Government Services

Baffin Region, Government of Nunavut

P.O.Box 379, Pond Inlet, X0A 0S0

Ph-[867 899 7314](tel:8678997314)

Fax-[867 899 7328](tel:8678997328)

E-mail: broy@gov.nu.ca

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Fri, Jul 25, 2014 at 9:54 AM

To: Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Cc: "Roy, Bhabesh" <BRoy@gov.nu.ca>, Licensing Department <licensing@nwb-oen.ca>

The attachments you're referring to from the annual report are already in central as follows:

B13-24836, B13-24837; B13-29619

[Quoted text hidden]

Roy, Bhabesh <BRoy@gov.nu.ca>

Fri, Jul 25, 2014 at 9:56 AM

To: Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Cc: Licensing Department <licensing@nwb-oen.ca>

Karen

Please make a list for your findings and let me know.

Thanks.

Bhabesh

From: Karén Kharatyan [mailto:karen.kharatyan@nwb-oen.ca]

Sent: Friday, July 25, 2014 11:32 AM

To: Roy, Bhabesh

Cc: Licensing Department

Subject: Re: calling you

[Quoted text hidden]

Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Fri, Jul 25, 2014 at 1:16 PM

To: "Roy, Bhabesh" <BRoy@gov.nu.ca>

Cc: Licensing Department <licensing@nwb-oen.ca>

Bhabesh,

We actually have in our records the Lab results, sorry for asking these.

We also have the "Pangnirtung Fish Waste Lagoon Decommissioning Plan". Is this the one referred as the Old Lagoon Decommissioning Plan?

If not, so please include the Old Lagoon Decommissioning Plan stated in the May 13 letter along with the revised Application (or clarification on section 13).

Be please also advised that the processing of this renewal application is not related to or does not include the request of by-passing the WWTP.

Phyllis,

Once we get this information from GN-CGS the application package can be sent for public review. I may think that O&M Manuals shall need to be updated, however, we would be able to include our requirements in addition to the public comments later on.

It seems this is a critical application for them.

Thanks,



[Quoted text hidden]

Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Mon, Jul 28, 2014 at 12:06 PM

To: "Roy, Bhabesh" <BRoy@gov.nu.ca>

Cc: Licensing Department <licensing@nwb-oen.ca>

Hi Bhabesh,

When submitting the revised Application for 3BM-PAN please also include with the water usage item that the water taken from the Duval River to fill the reservoir would be less than 300 m3 per day to remain in the Type B territory.

With the assumption of 150 days for filling the reservoir and also assuming that no less than the annual usage water is taken from the river every year, you could be in the Type A territory. With the new Nunavut Water regulations the threshold for municipalities is also 300 m3 per day.

I hope it makes sense,



On Fri, Jul 25, 2014 at 9:56 AM, Roy, Bhabesh <BRoy@gov.nu.ca> wrote:

[Quoted text hidden]