

Richard Dwyer <richard.dwyer@nwb-oen.ca>

## Hamlet of Pangnirtung Water Licence Renewal Application 3AM-PAN

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Tue, Oct 10, 2017 at 10:35 AM

Cc: Licensing Department < licensing@nwb-oen.ca> Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Dear parties,

Given the time that has elapsed since the NWB issued its most recent correspondence regarding the Hamlet of Pangnirtung's water licence renewal application, this email is to inform you that the NWB will issue follow-up correspondence pertaining to the next step(s) of the Licensing process for application as soon as the relevant decisions are made.

Regards,

## Richard



## 

Licence Administrator- Administratrice des permis ∠∆১

∠∆5

∠∆5

∠∆6

∠A1

Aulattivi

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT 

www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0

C.P. 119 Gjoa Haven (Nunaviit), X0B 1J0

በበናዔዔልዲ 119 ك(مار) XOB 1J0 كرمار) مركزه م

Titigaqaqvia 119 Ughiigtinig, NU, X0B 1J0

Tel / Téléphone / イペナン( / Hivayauta: (867) 360-6338 | Fax / Télécopieur / アレス・ロート / Fax-kut: (867) 360-6369 

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

舙 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email