



NWB Tools

Megan Porter <megan.porter@nwb-oen.ca>

RE: 140808 3BM-PAN0810 Hamlet of Pangnirtung-Renewal Amendment-Type B-Qikiqtani Region

Brian Aglukark <aglukark@nunavut.ca>

Tue, Aug 12, 2014 at 12:34 PM

To: Megan Porter <megan.porter@nwb-oen.ca>, Hamlet of Pangnirtung <pang_sao@qiniq.com>

Cc: GN-CGS Bhabesh Roy <Broy@gov.nu.ca>, Licensing Department <licensing@nwb-oen.ca>, "info@nirb.ca" <info@nirb.ca>

Good afternoon,

Thank you for your email.

The Nunavut Planning Commission (NPC) has reviewed the information provided below and has determined that the project proposal as described is located outside the boundaries of the two approved land use plans currently administered by the NPC.

No further review is required by the NPC at this time.

Please contact me should you have any questions.

Mutna,

Brian Aglukark, NPC

Arviat

From: Megan Porter [mailto:megan.porter@nwb-oen.ca]**Sent:** August-08-14 3:33 PM**To:** Hamlet of Pangnirtung**Cc:** GN-CGS Bhabesh Roy; Licensing Department**Subject:** 140808 3BM-PAN0810 Hamlet of Pangnirtung-Renewal Amendment-Type B-Qikiqtani Region**NOTICE TO ALL PARTIES: Deadline for comments is September 08, 2014**

The Nunavut Water Board ("NWB") acknowledges receipt of the Amendment application on May 21, 2014. A revised renewal application was received on July 29, 2014 for a Type "B" water license for water use and waste disposal associated with activities in the Qikiqtani region of Nunavut. The application consists of the following documents:

- Exp WWTP Design brief June 2013
- 2013 Pangnirtung Water Supply design development
- Authorization Letter
- GN Response to OS Issues
- Renewal Response to Additional information
- CGS letter to NWB and AANDC on WWTP
- Shut down WWTP at Pangnirtung plan and Notice
- CGS Letter to NWB for Pangnirtung renewal
- CGS Response to NWB on renewal
- Cover for CD Contents
- Fish waste lagoon decommissioning plan 2013
- OM for Truckfill station
- Pangnirtung WTFS 2014051216101500
- Pangnirtung WTFS 2014051216110600
- Pangnirtung WWTP O and M
- Pangnirtung WWTP 2014051216142300
- Pangnirtung WWTP 2014051216151600
- Pangnirtung WWTP 2014051216160400
- Water Licence Amendment Application
- Application Signature page
- GN Response to NWB Letter of May 30, 2014
- Solidwaste OM plan for Pangnirtung
- Additional Information request
- Applicant signature
- Preliminary DW Q Report for Pangnirtung 2013
- Revised Water Licence Renewal Application July 28, 2014

The application can be obtained from our ftp site under PRUC with Username: **public**, Password: **registry**.

The NWB undertook a preliminary review of your application and concluded that it meets the requirements of section 48(1) of the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* ("Act"). However, the NWB retains the right to request additional information and studies pursuant to sections 48(2) of the Act or to issue guidelines for the provision of information pursuant to section 48(3) of the Act. A NWB Technical Advisor may be in touch with you to clarify any technical details related to your application.

In accordance with S.11.5.10 of the *Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada* ("NLCA"), prior to the application being fully processed by the NWB the project proposal shall

be reviewed by the Nunavut Planning Commission ("NPC"), to determine whether the project proposal is in conformity with an approved land use plan. By copy of this letter, the NWB requests the NPC provide its determination and recommendations to the NWB pursuant to Sections 13.4.2 through 13.4.5 of the NLCA, or written confirmation that the project proposal falls outside the boundaries of an approved land use plan. Also, by copy of this letter to the Nunavut Impact Review Board ("NIRB"), the NWB requests that if the project proposal requires screening, the NIRB provide the NWB with a determination pursuant to Section 13.5.1 of the NLCA. If the project is exempt from screening pursuant to Schedule 12-1 of the NLCA, the NWB requests written confirmation from the NIRB that the project proposal is in fact exempt from screening.

To ensure this application is dealt with in a timely fashion, the NWB forwards notice of all documentation to regulators and council of the municipality(ies) most affected by the project, inviting interested parties to make representation directly to the NWB **within 30 days from the date of this letter.** The NWB may provide additional procedural instructions once the application has been reviewed by interested parties.

Subject to Sections 12.10.2 and 13.5.5 of the NLCA, where a review is required pursuant to Article 12, the NWB shall not approve any water application that forms part of that review until Article 12 has been complied with.

Regards,



Megan Porter- LALU >4C

Licence Administrator Assistant- Administratrice des Permis
 ርፈኛሪብ ስርዓት ልማት- Laisaliginiqumun Ikayugti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓴᑦ ᐃᓚᓕᓂᑦ ᑲᓂᓚᓴᓴᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆-၁၇ ၁၁၉
၂၀၁၇-၁၈ ၁၂၀

Titigaqavua 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369
Toll Free / Sans Free / ᐅᐅᐅᐅᐅᐅᐅ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email