

NUNAVUT WATER BOARD

Date: March 21, 2018

Exhibit No.: 10

**Nunavut Water Board
(NWB) Community
Session Presentation**

Regarding an Application
for a new

Type "A" Water Licence
JAM – PAN –
Hamlet of Paognirtung

ᓄᓇᓂᓪ
ᐃᑦᑦᑦᑦᑦᑦ
ᑲᑲᑲᑲᑲᑲᑲᑲᑲ
ᓄᓇᑦᑦ
ᐅᓂᑦᑦᑦᑦᑦᑦ
ᐱᑦᑦᑦᑦᑦᑦᑦᑦ ᓄᑦᑦᑦ
ᐱᓇᑦᑦᑦᑦᑦᑦᑦ
ᐃᐱᑦᑦᑦᑦ "A" ᐃᑦᑦᑦ
ᐱᑦᑦᑦᑦᑦᑦᑦ JAM – PAN –
ᐱᑦᑦᑦᑦᑦᑦᑦᑦᑦ

Water Licence Application JAM-PAN –
Public Hearing

List of Topics

- NWB Background Info
- Authorizations NWB May Issue
- NWB Type "A" Licensing Process
- Scope of the Application
- Application Procedural History
- Intervener Participation
- Public Participation
- Next Steps in the process for the Type "A" Application
- NWB Staff Contact Information
- Questions and Comments

ᑲᑲᑲᑲᑲᑲᑲᑲᑲᑲ
ᓄᓇᓂᓪ ᐃᑦᑦᑦᑦᑦᑦ
ᑲᓄᑦᑦᑦᑦᑦᑦ
ᐃᑦᑦᑦᑦᑦᑦᑦᑦ ᐃᑦᑦᑦᑦᑦᑦ
ᐅᓂᑦᑦᑦᑦᑦᑦ
ᐃᑦᑦᑦᑦᑦᑦ ᐃᐱᑦᑦᑦᑦ "A"
ᐱᑦᑦᑦᑦᑦᑦᑦ ᐃᑦᑦᑦᑦᑦᑦ
ᑲᓄᑦᑦ ᐱᑦᑦᑦᑦᑦᑦ
ᑲᓄᑦᑦᑦᑦᑦᑦ
ᐱᓇᑦᑦᑦᑦ ᐃᑦᑦᑦᑦᑦᑦ
ᑲᓄᑦᑦᑦᑦᑦᑦ
ᐅᓂᑦᑦᑦᑦᑦᑦ ᐃᑦᑦᑦᑦᑦᑦᑦᑦ
ᐃᓄᑦᑦ ᐃᑦᑦᑦᑦᑦᑦᑦᑦ
ᑲᓄᑦᑦᑦᑦᑦᑦᑦᑦᑦ ᐃᐱᑦᑦᑦᑦ
ᑦᑦ ᐱᓇᑦᑦᑦᑦ
ᐃᑦᑦᑦᑦᑦᑦ ᐃᑦᑦᑦᑦᑦᑦᑦᑦ
ᑲᓄᑦᑦᑦᑦᑦᑦᑦᑦ
ᐃᑦᑦᑦᑦᑦᑦ ᐅᓂᑦᑦᑦᑦᑦᑦ

Water Licence Application JAM-PAN –
Public Hearing

NWB Background Info.
ᐃᑦᑦᑦᑦᑦᑦ ᑲᓄᑦᑦᑦᑦᑦᑦᑦ

The NWB
is an Institution of Public
Government (IPG) established
under Article 13 of the
Nunavut Agreement

ᓄᓇᓂᓪ ᐃᑦᑦᑦᑦᑦᑦᑦ ᑲᑲᑲᑲᑲᑲᑲᑲᑲ
ᐃᓄᑦᑦᑦ ᐱᑦᑦᑦᑦᑦᑦᑦ
ᑲᓄᑦᑦᑦᑦᑦ ᑦᑦᑦᑦᑦᑦᑦ
ᑲᑲᑲᑲᑲᑲᑲᑲᑲᑲ ᓄᓇᓂᓪ
ᐃᑦᑦᑦᑦᑦᑦ
ᐱᑦᑦᑦᑦᑦᑦᑦᑦ ᑲᓄᑦᑦᑦᑦᑦ
ᐃᑦᑦᑦᑦᑦᑦᑦᑦ ᐃᑦᑦᑦ
ᐃᑦᑦᑦᑦᑦᑦᑦ ᐃᑦᑦᑦᑦᑦᑦ
ᐃᑦᑦᑦᑦᑦᑦᑦ ᐃᑦᑦᑦᑦᑦᑦ
ᐃᑦᑦᑦᑦᑦᑦᑦ ᐃᑦᑦᑦᑦᑦᑦ

Water Licence Application JAM-PAN –
Public Hearing

ጠቅላይ ሚኒስትር ዓብነት አብነት

- Objects of the NWB are to provide for the conservation and utilization of waters in Nunavut, except in a national park, in a manner that will provide the optimum benefit from those waters for Nunavut's residents in particular and Canadians in general.

Water-based Adhesives 101-102

ᐱᖃᕈᓴᑦ ᐸᕋᕐ ᐸᕋᕐ



- Based on its mandate and Nunavut Waters Regulations (Regulations), the NWB may issue any of the following authorizations for the use of water and/or deposit of waste for undertakings in Nunavut:
 - Authorization without a Licence (less than 50 m³ per day water required)
 - Authorisation with a Licence (50 m³ or more water required)

Water (Home) Applications: SAIL-PAN—
Public Hearing

ᐱᖃᕈᓇᑦᑕᖃᑦ ᐱᒋᕕᕆᔨᑦᑕ ᑐᓂᖃᓇᑦᑕᖃᑦ

- | | |
|---|---|
| <ul style="list-style-type: none"> Type "B" Water Licence (between 50 m³ and 299 m³ per day water required) Type "A" Water Licence (300 m³ or more per day water required) | <ul style="list-style-type: none"> ፡፡።፡።፡። "B" ፡፡፡፡፡፡ ለተፈገገ 9፡፡፡፡፡፡፡፡፡ 50 m³ ቀ፡፡፡፡፡፡ 299 m³ ፡፡፡፡፡፡፡፡፡ ፡፡፡፡፡፡፡፡፡ ፡፡።፡።፡። "A" ፡፡፡፡፡፡ ለተፈገገ (300 m³ ፡፡፡፡፡፡፡፡፡ ፡፡፡፡፡፡፡፡፡ ፡፡፡፡፡፡፡፡፡ ፡፡፡፡፡፡፡፡፡ |
| <p>➤ This week's Public Hearing is for a Type "A" water licence application based on criteria set out in Schedules 2 and 3 of the Regulations</p> | <p>➤ ር፡፡፡፡፡፡ ለ፡፡፡፡፡፡ ፡፡፡፡፡፡፡፡፡ ፡፡፡፡፡፡፡፡፡ ፡፡፡፡፡፡፡፡፡ ፡፡፡፡፡፡፡፡፡ ለ፡፡፡፡፡፡፡፡፡ ፡፡፡፡፡፡፡፡፡ ፡፡፡፡፡፡፡፡፡ ፡፡፡፡፡፡፡፡፡ ፡፡፡፡፡፡፡፡፡</p> |

Water License Application 1A31-PAN-
Field Name





Scope of Application

- Application before the Board is by the Hamlet of Pangnirtung related to the use of water, wastewater treatment/disposal, and waste management facilities.
- Water Use from the Duval River 120,000 m³/year
- Truckfill stations: new and old (backup)
- Wastewater Treatment Facility and Wetland
- Landfill: metal waste, hazardous waste, and sludge disposal areas
- Sewage Lagoon (non-operating)

Application Procedural History

ሎጥር ልዩ ትኬር ኤልባላንትና ማስተማር

- March 16 – May 10, 2017:**
Renewal – Amendment
Application filed by GN on behalf
of the Hamlet

➢ **LA 16-LA 18, 2017**
ጀርመንያው ደቡቅ አካል
 ኤልባላንትና ማስተማር የሆነውን
 በዓለም አቀፍ

- May 11 – 16, 2017: NWB**
conducted an internal preliminary
review and completeness check of
the Application

LA 11 -16,2017: መታየት የሚችል
አይዘልም
 የፖሊስ ምርመራና ሙሉ ለምርመራ
 እንዲያደርግ

- May 17, 2017: NWB issued**
correspondence requesting that
parties conduct their preliminary
reviews and completeness check
and provide comments by June 6,
2017

LA 17,2017: ለፖሊስና ለምርመራ
አይዘልም
 የፖሊስና ሙሉ ለምርመራ
 እንዲያደርግ ለምርመራና ሙሉ ለምርመራ
 በፖሊስና ሙሉ ለምርመራ

ከተሞች ለመጨመር የሚያስፈልጉትን መረጃ ይጻፉ
በኮሙኒኬሽን ሪፖርት ላይ

ከተሞች ለመጨመር የሚያስፈልጉትን መረጃ ይጻፉ
በኮሙኒኬሽን ሪፖርት ላይ



Application Procedural History

ለጤራን ልማትና የፍትሕ ምክር ቤቅ ምርመራ

- **June 6, 2017:** Preliminary Review comments were received from INAC and ECCC
- **June 9, 2017:** NWB issued correspondence requesting that parties conduct full technical review of the Application
- **June 20 - 22, 2017:** NWB received GN's response including additional information for the Application
- **July 19 - 28, 2017:** NWB received technical review comments from ECCC, DFO, and INAC

[illegible]

Application Procedural History
ለጸሐፊው ምረቃነት ምርጫ ምርጫ

- August 4, 2017 NWB issued correspondence requesting that the Licensee respond to interveners' comments by August 24, 2017
- August 20, 2017 GN CG&S provided on behalf of the Hamlet responses to interveners' comments and recommendations
- August 22, 2017 NWB issued correspondence requesting that interveners' comment by September 1, 2017 on whether the GN/Hamlet's responses are satisfactory

Water License Application 3-13-17-01-000
Public Hearing

Application Procedural History
ለጸሐፊው ምረቃነት ምርጫ ምርጫ

- October 30, 2017 NWB notified the parties that a Technical Meeting (TM) and Pre-Hearing Conference (PHC) were to take place on December 5 and 6 via teleconference. The draft agendas were distributed
- November 21-28, 2017 all parties confirmed participation in the TM and PHC
- November 28-30, 2017 the Applicant provided the presentation materials for the upcoming TM

Water License Application 3-13-17-01-000
Public Hearing

Application Procedural History
ለጸሐፊው ምረቃነት ምርጫ ምርጫ

- December 20, 2017 – January 22, 2018 the Applicant provided document materials as outlined in the list of commitments from the Technical Meeting
- February 12, 2018 NWB acknowledged the receipt of the final submissions from all interveners INAC and DFO representatives expressed their intention to attend the Public Hearing and Community Session in person while ECCC will participate via teleconference

Water License Application 3-13-17-01-000
Public Hearing

Application Procedural History
ለጭጋ፣ ልዩ ልማት ክልል ምክር ቤት

- February 23, 2018 NWB acknowledged the receipt of the final submission from the Applicant
- March 7-9, 2018 NWB received copies of PH presentations from parties
- March 12, 2018: NWB distributed PH agenda
- ሐምሌ 23, 2018: ልፎርብን ለጊዜ የሚገባውን የፊናል ምዕራፍ ለጭጋ፣
- ሚያዝያ 7-9, 2018: ልፎርብን ለጭጋ፣ የፊናል ምዕራፍ ስርዓት ለማግኘት የሚገባውን የፊናል ምዕራፍ ለጭጋ፣
- ሚያዝያ 12, 2018: ልፎርብን ለጊዜ የሚገባውን የፊናል ምዕራፍ ለጭጋ፣

Water License Application 1331-P-03—
Public Hearing

Hamlet of Pangnirtung and Inuiters' Participation
ዘጠኝ ስርዓት ለጭጋ፣ ልዩ ልማት ክልል ምክር ቤት

- The Applicant, DFO, ECCC, and INAC have all contributed to the review process for the Application
- Participated in formal and informal discussions aimed at resolving relevant issues
- Provided the Board and the Proponent with valuable technical information (questions and concerns) on relevant issues
- ለጭጋ፣ ልፎርብን ለጊዜ የሚገባውን የፊናል ምዕራፍ ለጭጋ፣
- ልፎርብን ለጊዜ የሚገባውን የፊናል ምዕራፍ ለጭጋ፣
- ጋራ ስርዓት ለጭጋ፣ ልዩ ልማት ክልል ምክር ቤት

Water License Application 1331-P-03—
Public Hearing

Public Participation **ልዩ ልማት ክልል ምክር ቤት**

- Everyone is encouraged to participate in the PH and this community session
- Interested persons can also contact NWB staff if needing to provide written comments or to review the documents filed for application
- All documents received have been posted on the NWB's FTP site at <http://nwb-oen.ca>
- የፊናል ምዕራፍ ስርዓት ለጭጋ፣ ልዩ ልማት ክልል ምክር ቤት
- ልፎርብን ለጊዜ የሚገባውን የፊናል ምዕራፍ ለጭጋ፣
- ልፎርብን ለጊዜ የሚገባውን የፊናል ምዕራፍ ለጭጋ፣

Water License Application 1331-P-03—
Public Hearing

Next Steps for the Type "A" Application

אגודת ה"א" לזכויות אדם

- The Public Hearing this week is chaired by the Board Panel and led by the Board's Chair
- פאנל ה"א" לזכויות אדם יתקיים ביום זה בראשות פאנל הדירקטוריון ויושבושיו
- The NWB Panel is here to consider the evidence provided during the hearing before issuing a decision in about 30-45 days
- פאנל ה"א" לזכויות אדם יקבל את העדויות שהוצגו במהלך ההקדמה ויחליט על החלטתו תוך 30-45 ימים
- The NWB will inform the public of the Board's decision once rendered
- ה"א" לזכויות אדם יודיע את החלטתו לציבור

- [illegible]

[illegible]

- [illegible]

Questions and Comments

Questions and/or Comments?

Thank You!

Water License Application 14418-PAN—
Public Hearing

23
