## Google Groups

## 140930 3BM-PAN1417 Temporary Bypassing WWTP during Construction-OMLE

me < phyllis.beaulieu@nwb-oen.ca>

Posted in group: Licensing Department

Sep 30, 2014 9:23 AM

The Nunavut Water Board acknowledges receipt on September 26, 2014 of a description of temporary bypassing of Pangnirtung's WWTP during construction. This information is attached for your perusal, and is also available on our ftp site under Waste Disposal. Regards,



## Phyllis Beaulieu- & < > < >

Manager of Licensing- Responsable des Permis ⟨Δ\C\σ%JC Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT 

www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0 C.P. 119 Gjoa Haven (Nunaviit), X0B 1J0 በበናዔዔሌሢ 119 × ( XOB 1J0 \$ مم مرداد) كالماري الماري ا

Titigaqaqvia 119 Ughiiqtiniq, NU, X0B 1J0

Tel / Téléphone / アイトレ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / アトル (867) 360-6369 Toll Free / Sans Free / 

¬PSb / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

🚔 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email