



CALA

Canadian Association for
Laboratory Accreditation Inc.

CALA Directory of Laboratories

Membership Number: 2728
Laboratory Name: Caduceon Environmental Laboratories (Kingston)
Parent Institution: Caduceon Enterprises Inc.
Address: 285 Dalton Ave. Kingston ON K7K 6Z1
Contact: Ms. Michelle Dubien
Phone: (613) 544-2001
Fax: (613) 544-2770
Email: mdubien@caduceonlabs.com

Standard: Conforms with requirements of ISO/IEC 17025
Clients Served:
Revised On: February 14, 2019
Valid To: June 11, 2021

Scope of Accreditation

Oil (Organic)

Polychlorinated Biphenyls (PCB) - Oil (081)
PCB-002; modified from EPA 8082A
GC/ECD - EXTRACTION
Aroclor 1242
Aroclor 1248
Aroclor 1254
Aroclor 1260
Total PCB

Solids (Inorganic)

Conductivity - Solids (077)
COND-003; modified from ON MOECC E3138
CONDUCTIVITY METER
Conductivity

Solids (Inorganic)

Cyanide - Solids [Soil] (074)
CN-001; modified from EPA 9012B
COLORIMETRIC - WATER EXTRACTION
Cyanide, Total
Free Cyanide

Solids (Inorganic)

Extractable Cyanide - Solids (061)
CN-001; modified from EPA 1311 (PREPARATION) and SM 4500-CN- E (ANALYSIS)
COLORIMETRIC - TCLP
Cyanide (WAD)

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

Solids (Inorganic)

Extractable Fluoride - Solids (062)

F-001; modified from EPA 1311 (PREPARATION) and SM 4500-F- D (ANALYSIS)

COLORIMETRIC - TCLP

Fluoride

Solids (Inorganic)

Oil and Grease - Solids [Soil] (049)

O & G-001; modified from SM 5520 B and SM 5520 F

GRAVIMETRIC

Animal/Vegetable Oil and Grease

Mineral Oil and Grease

Total Oil and Grease

Solids (Inorganic)

pH - Solids [Soil] (056)

pH-001/pH-003; modified from ON MOECC E3137

pH METER

pH

Solids (Inorganic)

Total Ammonia - Solids [Biosolid, Soil] (083)

NH3-001; modified from ON MOECC E3116

AUTO COLOR

Total Ammonia

Solids (Inorganic)

Total Kjeldahl Nitrogen (TKN) - Solids [Biosolid, Soil] (078)

TPTKN-001; modified from ON MOECC E3116

AUTO COLOR - DIGESTION

Total Kjeldahl Nitrogen (TKN)

Solids (Inorganic)

Total Phosphorus - Solids [Biosolid, Soil] (079)

TPTKN-001; modified from ON MOECC E3116

AUTO COLOR - DIGESTION

Total Phosphorus

Solids (Organic)

Base Neutral Acid Extractables (BNA) - Solids (060)

NAB-W-001; modified from EPA 1311 (PREPARATION) and EPA 8270D (ANALYSIS)

GC/MS - TCLP

2,3,4,6-Tetrachlorophenol

2,4-Dichlorophenol

2,4-Dinitrotoluene

2,4,5-Trichlorophenol

2,4,6-Trichlorophenol

3/4-Methylphenol

Benzo(a)pyrene

Cresols (total)

Hexachlorobenzene

Hexachlorobutadiene

Hexachloroethane

Nitrobenzene

Pentachlorophenol

Pyridine

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

Solids (Organic)

Base Neutral Acid Extractables (BNA) - Solids [Soil] (048)

NAB-S-001; modified from EPA 525.2 and EPA 8270D

GC/MS - EXTRACTION

1+2-Methylnaphthalene (Calculation)

1-Methylnaphthalene

1,1-Biphenyl

1,2,4-Trichlorobenzene

2-Chlorophenol

2-Methylnaphthalene

2,4+2,6-Dinitrotoluene (Calculation)

2,4-Dimethylphenol

2,4-Dinitrophenol

2,4-Dinitrotoluene

2,4,5-Trichlorophenol

2,6-Dinitrotoluene

3,3'-Dichlorobenzidine

Acenaphthene

Acenaphthylene

Alachlor

Aldicarb

Anthracene

Atrazine

Atrazine, desethyl

Azinphos-methyl

Bendiocarb

Benzo (a) anthracene

Benzo (a) pyrene

Benzo (b) fluoranthene

Benzo (g,h,i) perylene

Benzo (k) fluoranthene

Bis(2-chloroethyl) ether

Bis(2-chloroisopropyl) ether

Bis(2-ethylhexyl) phthalate

Bromoxynil

Carbaryl

Carbofuran

Chlorpyrifos ethyl

Chrysene

Cyanazine

Di-n-butyl phthalate

Diazinon

Dibenzo (a,h) anthracene

Dicamba

Dichlorophenol, 2,4-

Dichlorophenoxy acetic acid, 2,4-

Diclofop-methyl

Diethyl phthalate

Dimethoate

Dimethyl phthalate

Dinoseb

Diuron

Fluoranthene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Fluorene
Hexachloroethane
Indeno (1,2,3 - cd) pyrene
Malathion
Metolachlor
Metribuzin
Naphthalene
p-Chloroaniline
Parathion-ethyl
Pentachlorophenol
Phenanthrene
Phenol
Phorate
Picloram
Prometryne
Pyrene
Simazine
Temephos
Terbufos
Tetrachlorophenol, 2,4,5,6-
Total PAHs (Calculation)
Triallate
Trichlorophenol, 2,4,6-
Trichlorophenoxy acetic acid, 2,4,5-
Trifluralin

Solids (Organic)

Chlorinated Pesticides - Solids [Soil] (076)
PESTCL-002; modified from EPA 8081B and EPA 8082A
GC/ECD - EXTRACTION

Aldrin
Aldrin + Dieldrin (Calculation)
alpha-BHC
alpha-Chlordane
beta-BHC
DDT + metabolites
Dieldrin
Endosulfan I
Endosulfan I + Endosulfan II (Calculation)
Endosulfan II
Endosulfan Sulfate
Endrin
gamma-BHC (Lindane)
gamma-Chlordane
Heptachlor
Heptachlor epoxide
Hexachlorobenzene
Hexachlorobutadiene
Hexachloroethane
Methoxychlor
Mirex
o,p'-DDD
o,p'-DDE
o,p'-DDT

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Oxychlordane
p,p'-DDD
p,p'-DDE
pp'-DDT
Total DDD (Calculation)
Total DDE (Calculation)
Total DDT (Calculation)

Solids (Organic)

Petroleum Hydrocarbons (PHC) - Solids [Soil] (046)
PHC-S-001; CCME CWS PETROLEUM HYDROCARBONS IN SOIL - TIER 1 METHOD and ON MOECC E3398
GC/FID - EXTRACTION
Diesel Range Organics C10-C24
F2: C10-C16
F3: C16-C34
F4: C34-C50
Heavy Oils: C24-C50
TPH (C10-C50)

Solids (Organic)

Petroleum Hydrocarbons (PHC) - Solids [Soil] (058)
PHC-S-001; CCME CWS PETROLEUM HYDROCARBONS IN SOIL - TIER 1 METHOD
GRAVIMETRIC
F4: Gravimetric

Solids (Organic)

Polychlorinated Biphenyls (PCB) - Solids [Soil] (080)
PCB-003; modified from EPA 8082A
GC/ECD - EXTRACTION
Aroclor 1242
Aroclor 1248
Aroclor 1254
Aroclor 1260
Total PCB

Water (Inorganic)

Alkalinity - Water (008)
ALK 001; modified from SM 2320 B
TITRIMETRIC
Alkalinity (pH 4.5)
Bicarbonate Alkalinity (calculation)
Carbonate Alkalinity (calculation)

OSDWA †

Water (Inorganic)

Ammonia + Ammonium - Water [Liquid Biosolid, Wastewater] (025)
NH3-001; modified from SM 4500-NH3 H
AUTO COLOR
Ammonia
Unionized Ammonia (Calculation)

OSDWA †

Water (Inorganic)

Biochemical Oxygen Demand (BOD) - Water (054)
BOD-001; modified from SM 5210 B
D.O. METER
BOD (5 day)
CBOD (5 day)

OSDWA †

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Water (Inorganic) Colour - Water (013) COL 001; modified from SM 2120 C COLORIMETRIC True Colour	OSDWA †
Water (Inorganic) Conductivity - Water (010) COND 001; modified from SM 2510 B CONDUCTIVITY METER Conductivity (25°C)	OSDWA †
Water (Inorganic) Cyanide - Water (006) CN 001; modified from SM 4500-CN- E AUTO COLOR - DISTILLATION Cyanide (SAD) Free Cyanide	OSDWA †
Water (Inorganic) Oil and Grease - Water (047) O & G-001; modified from SM 5520 B and SM 5520 F GRAVIMETRIC Animal/Vegetable Oil and Grease Mineral Oil and Grease Total Oil and Grease	OSDWA †
Water (Inorganic) pH - Water (009) PH 001; modified from SM 4500-H+ B pH METER pH	OSDWA †
Water (Inorganic) Phenols - Water (086) PHEN-01; modified from ON MOECC E3179 AUTO COLOR Total Phenolics	OSDWA †
Water (Inorganic) Phosphate - Water (033) DRP-001; modified from SM 4500-P E COLOR Phosphate	OSDWA †
Water (Inorganic) Phosphate - Water (088) DRP-002; modified from EPA 365.2 and ON MOECC E3364 AUTO COLOR Phosphate	
Water (Inorganic) Solids - Water (026) TSS-001/TS-001; modified from SM 2540 B and SM 2540 D and SM 2540 E GRAVIMETRIC Total Solids Total Suspended Solids Total Volatile Solids Volatile Suspended Solids	OSDWA †

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Water (Inorganic) Sulphide - Water (036) H2S-001; modified from SM 4500-S2- D COLORIMETRIC Sulphide	OSDWA †
Water (Inorganic) Tannin and Lignin - Water (085) TAN-001; SM 5550 AUTO COLOR Tannin and Lignin	OSDWA †
Water (Inorganic) Total Kjeldahl Nitrogen (TKN) - Water [Liquid Biosolid, Wastewater] (016) TPTKN 001; modified from ON MOECC E3199A.1 AUTO COLOR - DIGESTION Organic Nitrogen Total Kjeldahl Nitrogen	OSDWA †
Water (Inorganic) Total Phosphorus - Water [Liquid Biosolid, Wastewater] (042) TPTKN 001; modified from ON MOECC E3199A.1 AUTO COLOR - DIGESTION Total Phosphorus	OSDWA †
Water (Inorganic) Turbidity - Water (014) TURB 001; modified from SM 2130 B TURBIDIMETRIC Turbidity	OSDWA †
Water (Microbiology) Coliforms - Water (035) ECTC-001; modified from ON MOECC E3407 MEMBRANE FILTRATION (DC) Background Counts Escherichia coli (E. coli) Total Coliforms	OSDWA †
Water (Microbiology) Escherichia coli (E. coli) - Water (002) EC 001; modified from SM 9222 D MEMBRANE FILTRATION (mTEC-XGLUC) Escherichia coli (E. coli)	OSDWA †
Water (Microbiology) Fecal (Thermotolerant) Coliforms - Water (044) FC-001; modified from SM 9222 D MEMBRANE FILTRATION (mTEC) WITH INDICATOR Fecal (Thermotolerant) Coliforms	OSDWA †
Water (Microbiology) Fecal Streptococci - Water (003) FS 001; modified from SM 9230 C MEMBRANE FILTRATION Fecal streptococci	OSDWA †

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Water (Microbiology) Heterotrophic Plate Count (HPC) - Water (001) HPC 001; modified from SM 9215 D MEMBRANE FILTRATION Heterotrophic Plate Count (HPC)	OSDWA †
Water (Microbiology) Total Coliforms - Water (043) TC 001; modified from SM 9222 B MEMBRANE FILTRATION (mENDO) Background Counts Total Coliforms	OSDWA †
Water (Organic) 2-methyl-4-chlorophenoxyacetic acid (MCPA) - Water (084) HERB-W-001; modified from EPA 8151A GC/MS MCPA	OSDWA †
Water (Organic) Base Neutral Acid Extractables (BNA) - Water (030) NAB-W-001; modified from EPA 8270D GC/MS 1+2-Methylnaphthalene (Calculation) 1-Methylnaphthalene 1,1-Biphenyl 1,2-Dichlorobenzene 1,2,4-Trichlorobenzene 1,3-Dichlorobenzene 1,4-Dichlorobenzene 2-Chloronaphthalene 2-Chlorophenol 2-Methylnaphthalene 2-Methylphenol (o-Cresol) 2-Nitrophenol 2,3,4,6-tetrachlorophenol 2,4+2,6-Dinitrotoluene (Calculation) 2,4-dichlorophenol 2,4-dichlorophenoxyacetic acid 2,4-Dimethylphenol 2,4-Dinitrophenol 2,4-Dinitrotoluene 2,4,5-Trichlorophenol 2,4,5-trichlorophenoxyacetic acid 2,4,6-trichlorophenol 2,6-Dinitrotoluene 3,3-Dichlorobenzidine 4-Bromophenyl phenyl ether 4-Chloro-3-methyl phenol 4-Chloroaniline 4-Chlorophenyl phenyl ether 4-Methylphenol 4-Nitrophenol 4,6-Dinitro-2-methylphenol Acenaphthene Acenaphthylene	OSDWA †

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Alachlor
Aldicarb
Anthracene
Atrazine
Azinphos-methyl
Azobenzene
Bendiocarb
Benzo (a) anthracene
Benzo (a) pyrene
Benzo (b) fluoranthene
Benzo (g,h,i) perylene
Benzo (k) fluoranthene
Bis(2-chloroethoxy)methane
Bis(2-chloroethyl) ether
Bis(2-chloroisopropyl) ether
Bis(2-ethylhexyl) phthalate
Bromoxynil
Butylbenzyl phthalate
Carbaryl
Carbazole
Carbofuran
Chlorpyrifos (ethyl)
Chrysene
Cyanazine
Desethyl atrazine
Di-n-butyl phthalate
Di-n-octyl phthalate
Diazinon
Dibenzo (a,h) anthracene
Dibenzofuran
Dicamba
Diclofop-methyl (as free acid)
Diethyl phthalate
Dimethoate
Dimethyl phthalate
Dinoseb
Diuron
Fluoranthene
Fluorene
Hexachlorobenzene
Hexachlorobutadiene
Hexachlorocyclopentadiene
Hexachloroethane
Indeno (1,2,3 - cd) pyrene
Isophorone
Malathion
Metolachlor
Metribuzin
N-Nitrosodi-n-propylamine
N-Nitrosodiphenylamine
Naphthalene
Nitrobenzene
Parathion (ethyl)

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Pentachlorophenol
 Phenanthrene
 Phenol
 Phorate
 Picloram
 Prometryne
 Pyrene
 Simazine
 Temephos
 Terbufos
 Total PAHs (Calculation)
 Triallate
 Trifluralin

Water (Organic)

OSDWA †

Diquat and Paraquat - Water (028)
 HPLCDIQ-001; modified from EPA 549.2
 HPLC
 Diquat
 Paraquat

Water (Organic)

OSDWA †

Glycols - Water (087)
 GLYCOL-01; modified from EPA 8015C
 GC/FID
 Diethylene glycol
 Ethylene glycol
 Propylene glycol

Water (Organic)

OSDWA †

Glyphosate - Water (031)
 GLYPH-002; modified from EPA 547
 DIRECT INJECTION HPLC
 Glyphosate

Water (Organic)

OSDWA †

Pesticides and Polychlorinated Biphenyls (PCB) - Water (027)
 PESTCL-001/PCB-001; modified from EPA 8081 and EPA 8082A
 GC/ECD - EXTRACTION
 A -BHC
 a - Chlordane
 Aldrin
 Aldrin + Dieldrin (Calculation)
 beta-BHC
 DDT + metabolites (Calculation)
 delta-BHC
 Dieldrin
 Endosulfan I
 Endosulfan I + Endosulfan II (Calculation)
 Endosulfan II
 Endosulfan Sulfate
 Endrin
 Endrin Aldehyde
 g - Chlordane
 Heptachlor
 Heptachlor Epoxide
 Hexachlorobenzene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Hexachlorobutadiene
 Hexachlorocyclopentadiene
 Hexachloroethane
 Lindane (gamma-BHC)
 Mirex
 o,p' - DDT
 o,p'-DDD
 o,p'-DDE
 Oxychlordan
 p,p' - DDT
 p,p' Methoxychlor
 p,p'-DDD
 p,p'-DDE
 Total DDD (Calculation)
 Total DDE (Calculation)
 Total DDT (Calculation)
 Total PCB

Water (Organic)

OSDWA †

Petroleum Hydrocarbons (PHC) - Water (050)
 PHC-W-001; modified from ON MOECC E3398 and ON MOECC E3421
 GC/FID - EXTRACTION
 Diesel Range Organics C10-C24
 F2: C10-C16
 F3: C16-C34
 F4: C34-C50
 Heavy Oils: C24-C50
 TPH (C10-C50)

Water (Organic)

OSDWA †

Petroleum Hydrocarbons (PHC) - Water (059)
 PHC-W-001; ON MOECC E3421
 GRAVIMETRIC
 F4: Gravimetric

Water (Organic)

Polychlorinated Biphenyls (PCB) - Water (082)
 PCB-001, PESTCL-001; modified from EPA 8081 and EPA 8082A
 GC/ECD - EXTRACTION
 Aroclor 1242
 Aroclor 1248
 Aroclor 1254
 Aroclor 1260
 Total PCB

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html