




3BM-RUT1520 Renewal Amendment (New Type "A" 3AM-RUT----) application completeness check.

Fri, Feb 28, 2020 at 2:24 PM

Please see attached for 3BM-RUT1520 Renewal Amendment, the NWB is inviting interested persons to comment on the following:

- All comments, recommendations and any requests for information (IRs) should be submitted no later than March 20, 2020 (5:00 p.m. ET).

Richard



Manager of Licensing - Responsable des Permis ᐃᑦᓂᕋᒃᓴᐅᑦ ᐱᑦᓵᓴᓄᑦ
Laislaginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓄᐐᑦ ᑲᑎᓕᐐᑦᑲᑦ - NUNAVUT IMALIRIYIN
KATIMAYINGI

Titigagqvia 119
Uqhuqtunq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐅᐅᐅᐅᐅᐅᐅᐅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 200228 3BM-RUT1520 Application Completeness Check-OSKE.pdf
535K