Richard Dwyer

From: Richard Dwyer [licensingadmin@nunavutwaterboard.org]

Sent: Friday, October 01, 2010 4:29 PM

To: 'Brian Aglukark'

Subject: RE:

Attachments: Richard Dwyer2.vcf

Thanks Brian I look forward to receiving NPC determination.

Regards,

Richard Dwyer Nunavut Water Board Licensing Administrator (867) 360-6338 Work licensingadmin@nunavutwaterboard.org PO Box 119 Gjoa Haven NU X0B 1J0 Canada

From: Brian Aglukark [mailto:aglukark@nunavut.ca] Sent: Thursday, September 30, 2010 2:41 PM

To: Richard Dwyer Subject: RE:

Hi Richard, yes will need conformity, per NLCA. We have sufficient info with what you sent can we proceed with it?

Brian

From: Richard Dwyer [mailto:licensingadmin@nunavutwaterboard.org]

Sent: Thursday, September 30, 2010 3:04 PM

To: Brian Aglukark

Subject:

Hi Brian,

Could you confirm whether or not this project will require a Nunavut Planning Commission Conformity Review, this is for the Resolute Bay utilidor.

Regards,

Richard Dwyer Nunavut Water Board Licensing Administrator (867) 360-6338 Work licensingadmin@nunavutwaterboard.org PO Box 119 Gjoa Haven NU X0B 1J0 Canada