



NWB Tools

Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

Fwd: Resolute Bay commitment #3 due September 14, 2020

Sergey Kuflevskiy <sergey.kuflevskiy@nwb-oen.ca>
To: Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

Thu, Sep 24, 2020 at 3:16 PM

----- Forwarded message -----

From: **Roy, Bhabesh** <BRoy@gov.nu.ca>
Date: Tue, Sep 15, 2020 at 1:02 PM
Subject: Re: Resolute Bay commitment #3 due September 14, 2020
To: Sergey Kuflevskiy <sergey.kuflevskiy@nwb-oen.ca>
Cc: Roy, Bhabesh <BRoy@gov.nu.ca>

The flow meter was already installed in the Macerator unit. But I did not see the reading yet.
Once calibrated and start recording, I will share the information with you guys.

Thanks Sergey.

Bhabesh

From: Sergey Kuflevskiy <sergey.kuflevskiy@nwb-oen.ca>
Sent: September 15, 2020 2:09 PM
To: Roy, Bhabesh <BRoy@gov.nu.ca>
Subject: Re: Resolute Bay commitment #3 due September 14, 2020

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Thank you for clarifying this.

When you said that the Macerator is ok, did you mean that the meters were installed/ fixed there already?

Thank you,



Sergey Kuflevskiy- ᠰᠡᠷᠭᠡᠢ ᠬᠤᠯᠡᠪᠦᠰᠲᠤ

Technical Advisor - Conseiller technique ᐱᓗᐸᓐᓇᓐᓗᓕᓐᓂᓐᓗᓕ ᐃᑲᓕᓐᓗᓕ
Piluagaaqutigiiniomun Ikayuti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᓪ ᐃᓚᓕᓂᓱᓪ ᑲᓂᓚᓱᓪ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

၂၀၁၆ ခုနှစ်၊ ဇူလိုင်လ ၁ ရက်နေ့၊ နံနက် ၈ နာရီ ၀၀ မိနစ်

Titigaqavua 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᐅᓕᑦᑲᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᓕᑦᑲᑦ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᓯᓂᓐᓴᓂᓐ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Tue, Sep 15, 2020 at 12:01 PM Roy, Bhabesh <BRoy@gov.nu.ca> wrote:

Macerator is OK. We are working for the pump station. Very soon we could bring one.

Thanks Sergey.

Bhabesh

From: Sergey Kuflevskiy <sergey.kuflevskiy@nwb-oen.ca>

Sent: September 15, 2020 1:58 PM

To: Roy, Bhabesh <BRoy@gov.nu.ca>

Cc: Richard Dwyer <richard.dwyer@nwb-oen.ca>; Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Subject: Resolute Bay commitment #3 due September 14, 2020

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hi Bhabesh,

Just wanted to remind you that Commitment #3 (flow metres at Char Lake and the Macerator) was due on **September 14, 2020**.

Any updates on the installation?

Thank you,



Sergey Kuflevskiy- ᓂᓕᓕᓐ ᐅᓐᓂᓐ

Technical Advisor - Conseiller technique ᐱᓐᐅᓐᓂᓐ ᐅᓐᓂᓐ
Piluagpaqtiqiniqumun Ikavutit

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᐅᓐᓂᓐ ᐃᓕᓕᓐ ᐅᓐᓂᓐ - NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

ᐃᓕᓕᓐ ᐅᓐᓂᓐ
ᐅᓐᓂᓐ, ᐅᓐᓂᓐ X0B 1J0

Titigaqavvia 119
Uquqhuuq, NU, X0B 1J0

Tel / Téléphone / ᓂᓕᓕᓐ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓂᓕᓕᓐ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐃᓕᓕᓐ ᐅᓐᓂᓐ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(les) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email