



Crown-Indigenous Relations  
and Northern Affairs Canada

Relations Couronne-Autochtones  
et Affaires du Nord Canada

# Hamlet of Resolute Bay Utilidor Renewal Application for Water Licence 3AM-RUT----

Nunavut Water Board Public Hearing  
Resolute Bay, October 27-28, 2020

ᐱᐱᐱᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱ  
ᐱᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱ  
ᐱᐱᐱ 3AM-RUT----  
ᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱ  
ᐱᐱᐱᐱᐱᐱᐱ ᐱᐱᐱᐱᐱᐱᐱᐱᐱᐱ  
ᐱᐱᐱᐱᐱ 27-28, 2020



Canada

◁▷◁<sup>9b</sup>◁▷σ◁<sup>9b</sup>▷◁

- [illegible]



**ᐃᑦᑲᐱ ᐃᓚᓚᓴᓴ**  
**ᐱᓴᓴᓴᓴᓴᓴᓴ**

Crown-Indigenous Relations and Northern Affairs Canada's (CIRNAC) responsibilities, mandate, and obligations stem from with the following:

- *Department of Crown-Indigenous Relations and Northern Affairs Act*
- Nunavut Agreement
- *Nunavut Land Claims Agreement Act*
- *Nunavut Waters and Nunavut Surface Rights Tribunal Act* and the associated regulations
- *Nunavut Planning and Project Assessment Act*
- *Territorial Lands Act* and the associated regulations
- *Arctic Waters Pollution Prevention Act*

ሥነ-ጥናትና ምርምር ሥራ ለጋራ ጥቅም -  
 ወደ ሥነ-ጥናት ሥራ ለሚገቡ ልዩ ምርምር ሥራ  
 ጋራ ሥራ ለሚገቡ ልዩ ምርምር (CIRNAC)-ወደ  
 ለሥነ-ጥናት, ሥራ ለሚገቡ ልዩ ምርምር  
 ለሥራ ለሚገቡ ልዩ ምርምር ሥራ ለሚገቡ ልዩ ምርምር

- [illegible]





# Contributions to Application Review

CIRNAC made the following  
contributions to the Nunavut  
Water Board's review process:

- Completeness assessment with  
information requests: March 26,  
2020
- Technical review with  
recommendations: June 12, 2020
- Participation in Technical  
Meeting and Pre-hearing  
conference: July 14, 2020
- Final written submission:  
September 24, 2020

# ΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔ

CIRNAC-ΔΔ ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔ  
ΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔΔΔ:

- ΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔ  
ΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔΔ  
ΔΔΔΔΔΔΔΔ: March 26, 2020
- ΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔ  
ΔΔΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔ:  
ΔΔ 12, 2020
- ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔ ΔΔΔΔΔΔ  
ΔΔΔΔΔΔΔΔ ΔΔΔΔ ΔΔΔΔΔΔΔΔ  
ΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔ: ΔΔΔ 14,  
2020
- ΔΔΔΔΔΔΔΔΔΔ ΔΔΔΔΔΔΔΔΔΔ  
ΔΔΔΔΔΔΔΔ: ΔΔΔΔΔ 24, 2020





## Scope & term of licence

CIRNAC agrees with scope of licence described in Pre-hearing Conference Decision Report. It includes the new infrastructure and keeps what hasn't been decommissioned yet.

CIRNAC supports applicant's request for 20 year licence term.

ᑭᑭᑦᑭᑦᑭᑦᑭᑦ ᑭᑭᑦᑭᑦ ᑭᑭᑦᑭᑦᑭᑦᑭᑦ  
ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ ᑭᑭᑦᑭᑦᑭᑦᑭᑦ

CIRNAC-ᑭᑭᑦ ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ  
ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ ᑭᑭᑦᑭᑦᑭᑦᑭᑦ  
ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ ᑭᑭᑦᑭᑦᑭᑦᑭᑦ  
ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ  
ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ  
ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ  
ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ

CIRNAC-ᑭᑭᑦ ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ  
ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ 20 ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ  
ᑭᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦᑭᑦ.



**LC<sup>90</sup>σ<sup>95</sup>**

[illegible]

- $\nabla b \triangleright \neg \triangleright c \triangleright^a r \supset c \quad \Delta L^a q \Delta \supset c:$

- [illegible]

- $\wedge \sigma \triangleleft^{\text{fb}} \triangleright \text{c} \triangleright^{\text{fb}} \rho \text{L} \triangleleft^{\text{fb}}$   
 $\triangleright^{\text{b}} \rho \text{c} \triangleright \rho \triangleright^{\text{fb}} \triangleright^{\text{fb}}$   
 $\wedge \text{c} \text{L} \triangleleft \text{L} \sigma \triangleleft^{\text{f}} \triangleright \text{r}^{\text{c}} \triangleleft^{\text{fb}} \rho \triangleright \text{L} \triangleleft^{\text{fb}}$   
 $\text{fb}^{\text{u}} \text{L}^{\text{b}} \text{d}^{\text{u}} \text{L} \triangleleft^{\text{fb}} \text{L} \text{c}^{\text{b}} \triangleright \text{J}.$

CIRNAC-d<sup>c</sup> ၵᄡᆞᄫᅇᄃᄣᅀᄢᄧᅂ.



$$\Delta L^{\text{fb}} \sigma^{\text{fb}}$$
[illegible]

CIRNAC-d<sup>c</sup> Λ<sup>a</sup><sub>L</sub>J<sup>c</sup> ΛC<sub>N</sub>Δ<sup>c</sup> Γ<sup>b</sup>i<sub>d</sub><sup>c</sup>  
 ▷<sup>ab</sup>▷J<sub>N</sub>-Z<sup>a</sup>J<sup>c</sup> Δ<sup>ab</sup>ρ<sup>b</sup>C▷JL<sup>c</sup>▷<sup>b</sup>:

- $\text{b}_0 \cap \Gamma \Delta L^{\text{b}} \supset \text{b}_0 \cap \text{b}_0 \cap \text{b}_0$
- $\langle \text{b}_0 \rangle \cap \Gamma \Delta L^{\text{b}} \cap \Delta L^{\text{b}} \cap \Gamma$
- $\text{b}_0 \cap \Gamma \Delta L^{\text{b}} \cap \Delta L^{\text{b}} \cap \Gamma$



ԳԵՂԱՅԻՆ ԴԼՏԻՆ  
 ԱՇԽԱՏԱՆԵՐԻ

[illegible]

CIRNAC-d<sup>c</sup>    Λ<sub>C</sub>Λ<sub>Δ</sub><sup>c</sup>    Γ<sup>b</sup>Λ<sub>Δ</sub><sup>c</sup>  
 ▷<sup>c</sup>b▷<sup>a</sup>ρ<sup>c</sup>    Δ<sup>c</sup>bρ<sup>b</sup>C▷<sup>a</sup>Λ<sub>C</sub><sup>c</sup>▷<sup>c</sup>:

- $\mathcal{C}^b \cap \mathcal{C}^a \neq \emptyset$   $\mathcal{C}^b \cap \mathcal{C}^a \neq \emptyset$   
 $\mathcal{C}^b \cap \mathcal{C}^a \neq \emptyset$   $\mathcal{C}^b \cap \mathcal{C}^a \neq \emptyset$   
 $\mathcal{C}^b \cap \mathcal{C}^a \neq \emptyset$   $\mathcal{C}^b \cap \mathcal{C}^a \neq \emptyset$   
 $\mathcal{C}^b \cap \mathcal{C}^a \neq \emptyset$   $\mathcal{C}^b \cap \mathcal{C}^a \neq \emptyset$







# Monitoring

Monitoring involves measuring water flow and quality, and is used to evaluate how well management measures are working.

CIRNAC's technical comment has been resolved:

- Frequency of water quality sampling at sewage outfall

## ᖃᐅᐱᕐᕐᕐᕐ

ᖃᐅᐱᕐᕐᕐᕐ ᕐᕐᕐᕐ ᕐᐅᕐᕐᕐᕐ  
ᕐᕐᕐᕐ ᕐᕐᕐᕐ ᕐᕐᕐᕐ ᕐᕐᕐᕐᕐᕐ,  
ᕐᕐᕐᕐ ᕐᕐᕐᕐᕐᕐᕐ ᕐᕐᕐᕐᕐᕐᕐᕐ  
ᕐᕐᕐᕐ ᕐᕐᕐᕐᕐᕐᕐᕐ ᕐᕐᕐᕐᕐᕐᕐᕐ  
ᕐᕐᕐᕐᕐᕐᕐᕐ ᕐᕐᕐᕐᕐᕐᕐᕐ.

CIRNAC-ᕐᕐ ᕐᕐᕐᕐᕐ ᕐᕐᕐᕐ  
ᕐᕐᕐᕐᕐᕐᕐ ᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐ:

- ᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐ ᕐᕐᕐᕐ  
ᕐᕐᕐᕐᕐᕐᕐᕐᕐ ᕐᕐᕐᕐᕐᕐᕐ  
ᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐᕐ ᕐᕐᕐᕐᕐᕐᕐᕐᕐ

Sewage outfall to ocean



ᕐᕐᕐᕐᕐᕐᕐᕐᕐ ᕐᕐᕐᕐᕐᕐ  
ᕐᕐᕐᕐᕐᕐ



[illegible]

CIRNAC-<sup>d</sup> ልብረኛጋኖጋር ወደግራ  
 ነጭልቅ ወርሃይኛጋኖጋር ጋንጎናጋን  
 ቀረጽ ስለሆነውም  
 ልብረኛጋንጎናጋን ጋንጎናጋን





Qujannamiik  
Thank you  
Merci  
ᓱᓐᓂᓐᓂᓐ

