From: Karen Kharatyan
To: Phyllis Beaulieu
Subject: FW: 3BC-ACS1111 Renewal
Date: Thursday, May 30, 2013 11:49:14 AM
Attachments: image001.png

FYI

Karén Kharatyan, Ph.D
Technical Advisor
Nunavut Water Board

(Ph.) 867-360-6338 ext. 30
(Fx.) 867-360-6369
k.kharatyan@nunavutwaterboard.org

From: Benoit Beauchamp [mailto:bbeaucha@ucalgary.ca]
Sent: Thursday, May 30, 2013 11:41 AM
To: Karen Kharatyan
Subject: RE: 3BC-ACS1111 Renewal

Hi Karen:

Yes I am OK with the one-year option you are recommending.

Benoit

From: Karen Kharatyan [mailto:k.kharatyan@nunavutwaterboard.org]
Sent: May-30-13 11:38 AM
To: Benoit Beauchamp
Cc: Phyllis Beaulieu
Subject: RE: 3BC-ACS1111 Renewal

Hi Benoit,

I see that you are requesting 5 years term for the renewal licence. As the Nunavut Waters Regulations come in force there is an option that the Board may consider if you are ok with that option. We may renew the licence for one year (up to December 31, 2013 or for exactly one year after the renewal issuance), then you may just annually apply for authorization without licence that is simpler process.

What are your thoughts? Do you want that the Board process the application that way or you still want a Licence for 5 years term? It is really up to the Licensee.

Regards,

Karén Kharatyan, Ph.D
Technical Advisor

Nunavut Water Board

(Ph.) 867-360-6338 ext. 30
(Fx.) 867-360-6369
k.kharatyan@nunavutwaterboard.org

From: Benoit Beauchamp [mailto:bbeaucha@ucalgary.ca]
Sent: Thursday, May 30, 2013 9:58 AM
To: Phyllis Beaulieu
Cc: Karen Kharatyan; Robin Ikkutisluk
Subject: RE: 3BC-ACS1111 Renewal

Thanks Phyllis:

This is much clearer now. Looking forward hearing back from the Board.

Benoit

From: Phyllis Beaulieu [mailto:licensing@nunavutwaterboard.org]
Sent: May-30-13 9:53 AM
To: Benoit Beauchamp
Cc: Karen Kharatyan; Robin Ikkutisluk
Subject: 3BC-ACS1111 Renewal

Hi Benoit, further to my previous email, I note now that you have an application before our Board for a renewal. As the process for this file began before the release of the new waters regulations, we are required to follow through with a renewal Type B. The file is on final tech review and ready to present to our Board. I believe the file will be ready for Board review and approval early next week.

Regards,

Phyllis Beaulieu- ᕿᓚᕐ ᐳᓚᐅ
Manager of Licensing- Responsable des permis
ᐊᐅᓚᑦᑎᒃ ᓚᐃᓴᓚᕆᓂᖅᓯᕐ- Maniyauvuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᕆᔨᑦ ᑲᑎᒪᔨᖏᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.NunavutWaterBoard.org

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᑎᑎᕋᖅᑕᖅ 119
ᐅᑦᓱᕐᔪᐊ, ᓄᓇᕗᑦ X0B 1J0

Titigaqaqvia 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᓱᕋᔭᐅᑖ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᑲᔪᑦᑯᑦ / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email