

5835 COOPERS AVENUE MISSISSAUGA, ONTARIO CANADA L4Z 1Y2 TEL (905)712-5100 FAX (905)712-5122 http://www.agatlabs.com

CLIENT NAME: DEFENCE CONSTRUCTION CANADA 14 ALERT BLVD, 8 WING TRENTON ASTRA, ON K0K3W0

ATTENTION TO: Chris McRae

PROJECT NO: Alert

AGAT WORK ORDER: 11T500330

TRACE ORGANICS REVIEWED BY: Jacky Takeuchi, BScH (Chem Eng), BSc (Bio), C.Chem, Laboratory

Manager

DATE REPORTED: Jun 16, 2011

PAGES (INCLUDING COVER): 4

VERSION*: 1

Should you require any information regarding this analysis please contact your client services representative at (905) 712 5100, or at 1-800-856-6261

*NOTES		

All samples will be disposed of within 30 days following analysis. Please contact the lab if you require additional sample storage time.



CLIENT NAME: DEFENCE CONSTRUCTION CANADA

Certificate of Analysis

AGAT WORK ORDER: 11T500330

PROJECT NO: Alert

ATTENTION TO: Chris McRae

5835 COOPERS AVENUE MISSISSAUGA, ONTARIO CANADA L4Z 1Y2 TEL (905)712-5100 FAX (905)712-5122 http://www.agatlabs.com

O. Reg. 153 - Petroleum Hydrocarbons F1 - F4 (C6 - C50) in Soil

DATE SAMPLED: Jun 01, 2011			DATE R	ECEIVED: Jun 0	9, 2011	DATE REPORTED: Jun 16, 2011	SAMPLE TYPE: Soil			
				ALT-11 BPNS #1	ALT-11 BPNS #2					
Parameter	Unit	G/S	RDL	2462423	#2 2462424					
Benzene	µg/g		0.02	<0.02	<0.02					
Toluene	μg/g		0.08	<0.08	<0.08					
Ethylbenzene	μg/g		0.05	<0.05	< 0.05					
Xylene Mixture (Total)	μg/g		0.05	< 0.05	0.51					
C6 - C10 (F1)	μg/g		5	<5	77					
C6 - C10 (F1 minus BTEX)	μg/g		5	<5	77					
C>10 - C16 (F2)	μg/g		10	<10	790					
C>16 - C34 (F3)	μg/g		50	<50	<50					
C>34 - C50 (F4)	μg/g		50	<50	<50					
Gravimetric Heavy Hydrocarbons	μg/g		50	NA	NA					
Moisture Content	%		0.1	5.1	5.2					

Comments: RDL - Reported Detection Limit; G / S - Guideline / Standard

2462423-2462424 Results are based on sample dry weight.

The C6-C10 fraction is calculated using toluene response factor.

The C10 - C16, C16 - C34, and C34 - C50 fractions are calculated using the average response factor for n-C10, n-C16, and n-C34.

Gravimetric Heavy Hydrocarbons are not included in the Total C16-C50 and are only determined if the chromatogram of the C34 - C50 hydrocarbons indicates that hydrocarbons >C50 are present.

Total C6 - C50 results are corrected for BTEX contributions.

This method complies with the Reference Method for the CWS PHC and is validated for use in the laboratory.

nC6 and nC10 response factors are within 30% of Toluene response factor.

nC10, nC16 and nC34 response factors are within 10% of their average.

C50 response factor is within 70% of nC10 + nC16 + nC34 average.

Linearity is within 15%.

Extraction and holding times were met for this sample.

Fractions 1-4 are quantified with the contribution of PAHs. Under Ontario Regulation 153, results are considered valid without determining the PAH contribution if not requested by the client.

Quality Control Data is available upon request.

Certified By:

Joshy Tokurhi



5835 COOPERS AVENUE MISSISSAUGA, ONTARIO CANADA L4Z 1Y2 TEL (905)712-5100 FAX (905)712-5122 http://www.agatlabs.com

Quality Assurance

CLIENT NAME: DEFENCE CONSTRUCTION CANADA

AGAT WORK ORDER: 11T500330

PROJECT NO: Alert

ATTENTION TO: Chris McRae

PROJECT NO. Alert	ATTENTION TO. CHITS WICK ae														
			Trac	e Or	ganio	cs Ar	nalys	is							
RPT Date: Jun 16, 2011			DUPLICATE			REFERENCE MATERIAL		METHOD BLANK SPIKE			MATRIX SPIKE				
PARAMETER	Batch	Sample	Dup #1	Dup #2	up #2 RPD	Method Blank	Measured Value	Acceptable Limits		Recovery	Acceptable Limits		Recovery	Acceptable Limits	
		ld	'	'				Lower	Upper]		Upper	, [Lower	Upper
O. Reg. 153 - Petroleum Hydroc	arbons F1 - F	-4 (C6 - C	50) in Soi	il											
Benzene	1		< 0.02	< 0.02	0.0%	< 0.02	126%	60%	130%	119%	60%	130%	112%	60%	130%
Toluene	1		< 0.08	< 0.08	0.0%	< 0.08	107%	60%	130%	113%	60%	130%	119%	60%	130%
Ethylbenzene	1		< 0.05	< 0.05	0.0%	< 0.05	106%	60%	130%	118%	60%	130%	114%	60%	130%
Xylene Mixture (Total)	1		< 0.05	< 0.05	0.0%	< 0.05	120%	60%	130%	105%	60%	130%	107%	60%	130%
C6 - C10 (F1)	1		< 5	< 5	0.0%	< 5	104%	60%	130%	77%	60%	130%	75%	60%	130%
C>10 - C16 (F2)	1		< 10	< 10	0.0%	< 10	100%	70%	130%	107%	70%	130%	82%	70%	130%
C>16 - C34 (F3)	1		< 50	< 50	0.0%	< 50	100%	70%	130%	108%	70%	130%	100%	70%	130%
C>34 - C50 (F4)	1		< 50	< 50	0.0%	< 50	104%	70%	130%	98%	70%	130%	85%	70%	130%

Certified By:

Joshy Takwehi

5835 COOPERS AVENUE MISSISSAUGA, ONTARIO CANADA L4Z 1Y2 TEL (905)712-5100 FAX (905)712-5122 http://www.agatlabs.com

Method Summary

CLIENT NAME: DEFENCE CONSTRUCTION CANADA AGAT WORK ORDER: 11T500330
PROJECT NO: Alert ATTENTION TO: Chris McRae

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Trace Organics Analysis		-	-
Benzene	VOL-91-5009	EPA SW-846 5035 & 8260	P & T GC/MS
Toluene	VOL-91-5009	EPA SW-846 5035 & 8260	P & T GC/MS
Ethylbenzene	VOL-91-5009	EPA SW-846 5035 & 8260	P & T GC/MS
Xylene Mixture (Total)	VOL-91-5009	EPA SW-846 5035 & 8260	P & T GC/MS
C6 - C10 (F1)	VOL-91-5009	CCME Tier 1 Method	P & T GC/FID
C6 - C10 (F1 minus BTEX)	VOL-91-5009	CCME Tier 1 Method	P & T GC/FID
C>10 - C16 (F2)	VOL-91-5009	CCME Tier 1 Method, EPA SW846 8015	GC / FID
C>16 - C34 (F3)	VOL-91-5009	CCME Tier 1 Method, EPA SW846 8015	GC / FID
C>34 - C50 (F4)	VOL-91-5009	CCME Tier 1 Method, EPA SW846 8015	GC / FID
Gravimetric Heavy Hydrocarbons	VOL - 5012	CCME Tier 1 Method	GRAVIMETRIC ANALYSIS
Moisture Content	VOL-91-5009	CCME Tier 1 Method	Balance



5835 Coopers Avenue Mississauga, Ontario; L4Z 1Y2 Phone: 905-712-5100; Fax: 905-712-5122 Toll free: 800-856-6261

Arrival Condition:

Poor (complete "notes")

LABORATORY USE ONLY

CHAIN OF CUSTODY RECORD

ALT-Samples Relinquished By (print name & sign) Samples Refinquished By print name & sign) Please note, if quotation number is not provided, client will be billed full price for analysis. Client Information Phone: Phone: 6/3-392-2811 x 5 2 Fax Address company: Letopice Construction Address: Contact: Company: AGAT Quotation #: Contact: Invoice To Same as Above? (es) No (circle) ラン州 Sample Identification 11 BRNS# 11 BANS#d 01/06/ 4000 1 01/06/11 Fax: PO Time Sampled 320 Cons 1:05 بي : 1000 CX Sample Matrix Date/Time Date/Time Containers 2. Name: 1. Name: Chris. McINO(a) dec-1 Report Information - reports to be sent to: Regulatory Requirements Email: → Nutrient Management Act (NMA) Prov. Water Quality Objectives (PWQO) Regulation 153 (Indicate one) رم ع Res/Park Ind/Com Samples Regeived By (print name & sign) Samples Received By (print name & sign) Site/ Sample Information ☐ Med/Fine Comments http://webearth.agatlabs.com Sewer Use Region (Indicate one) Storm Sanitary <u>www.agatlabs.com</u> Metals and Inorganics 90.00°C Other (Indicate) COME Regulation 558 CCME Fractions 1 to 4 VOCs Arrival Temperature:
Notes: 9.9 6.3 8.6 PAHs Date/Time Date/Time X Single Sample per page Ô Multiple TCLP Metals/Inorganics ☐ Results by fax per page Format Report Samples TCLF Pink Copy - Client Sanitary Sewer Use Yellow + Golden Copy - AGAT DATE REQUIRED (Rush surcharges may apply): Regular TAT: Turnaround Time (TAT) Required* *TAT is exclusive of weekends and statutory holidays Rush TAT: (please provide prior notification) BTEX Rush Surcharges Apply 5 to 7 Working Days 2 Working Days 3 to 5 Working Days 1 Working Day PAGE NO: 153243 ABORATORY LAB SAMPLE ID USE ONLY <u>`</u>

Document ID: DIV-78-1511.005

Date Issued: December 6, 2010

White Copy - AGAT