



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
Fax: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪᓪ ᑲᓂᓕᓪᓪ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

October 20, 2010

File No: 3BC-BG10813/TR/H1

Mr. Martin Sharp
Processor and Chair
Earth and Atmospheric Sciences
University of Alberta
1-26 Earth Sciences Building
Edmonton, AB T6G 2E3
Email: martin.sharp@ualberta.ca

Subject: Requirement for Submission of to Spill Contingency Plan

Dear Mr. Sharp:

In accordance with the terms and conditions Part H, Item 1 of the current licence 3BC-BGI0813, the Nunavut Water Board ("NWB") requires the submission of the spill contingency plan. This was required on or before December 17, 2008.

Please forward to the attention of licensingadmin@nunavutwaterboard.org

Sincerely,

Original signed by:

Richard Dwyer
Licensing Administrator

Copy Karén Kharatyan NWB
Peter Kusugak INAC
Lou-Ann Cornacchio INAC