



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
Fax: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᓂᓕᓪᓴᓪ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

February 25, 2011

File No: 3BC-BGI0813/TR/H1

Mr. Martin Sharp
Processor and Chair
Earth and Atmospheric Sciences
University of Alberta
1-26 Earth Sciences Building
Edmonton, AB T6G 2E3
Email: martin.sharp@ualberta.ca

Subject: Submission of Spill Plan

Dear Mr. Sharp:

The Nunavut Water Board ("NWB") acknowledges receipt of Spill Contingency Plan received February as a requirement of Part H, Item 1 of water license 3BC-BGI0813. This submission has been placed on the NWB public registry and is available from the NWB ftp site.

The NWB gives interested persons thirty (30) days to review the submission and make representations to the NWB. All representations shall be submitted to the NWB by mail, fax or email before March 28, 2011, 5:00 pm Mountain Standard Time. At the end of the review period the NWB will review all submissions and you will be contacted should concerns arise or should additional information be needed. Thank you.

Please forward all comments to licensingadmin@nunavutwaterboard.org

Sincerely,

Original signed by:

Richard Dwyer
Licensing Administrator

Cc: Qikiqtani Distribution List