

**From:** [Don Carr](#)  
**To:** ["jbriner@buffalo.edu"](mailto:jbriner@buffalo.edu)  
**Cc:** ["Phyllis Beaulieu"](#)  
**Subject:** 3BC-BRI---- PTR Requests  
**Date:** Monday, March 16, 2009 9:28:00 AM

---

Good Afternoon Jason,

In a preliminary technical review of your 3BC-BRI---- application, a few items are requiring more information or comment. Is August 2011 the ideal expiry of the licence? If the research is expected to take place for a longer duration up to 5 years would not affect the application process and potentially cut down on the number of renewals. Will all camp activities be taking place within the 3 maps provided? Also a Spill Contingency Plan is required, ideally this would be provided prior to the 30 day public review period. For reference, Spill Contingency Plans can be obtained from the ftp site and one example would be from [ftp://nunavutwaterboard.org/3BC - CAMPS/3BC-SII/](ftp://nunavutwaterboard.org/3BC-CAMPS/3BC-SII/).

Sincerely,

Don

---

Don Carr  
Technical Advisor  
Nunavut Water Board

(P) 867-360-6338 ext. 30  
(F) 867-360-6369  
[dcarr@nunavutwaterboard.org](mailto:dcarr@nunavutwaterboard.org)