



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Re: Renewal of water licence

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>
To: Scott Lamoureux <scott.lamoureux@queensu.ca>

Wed, Oct 21, 2015 at 11:02 AM

Thank you for the information requesting closure/cancellation of 3BC-CBA1015. We will ensure AANDC Enforcement are aware that a final inspection is required. With receipt of your 2015 annual report and once the fees are paid there are no further obligations under this licence

Regards,



Phyllis Beaulieu- 617 531-1111

Manager of Licensing- Responsable des Permis

◁▷ㄸྱ꠆ ㄸΔᄇᅀᆯᄂᆞᆫᄃᆡᆮᄂᆞᆫᄃᆡᆮᄂᆞᆫ

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓂᓪ ᐃᓚᓕᓂᓪ ᓐᓚᓚᓪᓂᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆ ခုနှစ် ၁၁၉
 ၂၀၁၆ ခုနှစ် ၁၁၉

Titigaqavua 119
Uqhuqtinaq, NU, X013 110

Tel / Téléphone / ᐅᑦᓴᐃᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᑦᓴᐃᑦ / Fax-kut: (867) 360-6369

Toll Free / Sans Free / ᐱᓂᓴᓄᓇᓴᓄᓇ / Akiittug : 1-855-521-3745

WARNING: This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Wed, Oct 21, 2015 at 6:27 AM, Scott Lamoureux <scott.lamoureux@queensu.ca> wrote:

Hello Phyllis,

Please find attached my 2015 report for this water licence. I am requesting that this licence be closed and further permitting to occur through approval. I have submitted to have the outstanding fees for the licence paid via cheque from Queen's University, and will submit the approval application very soon.

Regards,

Scott

Scott Lamoureux
Professor
Department of Geography and Planning
Queen's University
Kingston, ON K7L 3N6

Phone: 613-533-6033

Fax: 613-533-6122
scott.lamoureux@queensu.ca
<http://cbawo.blogspot.ca/>

From: Scott Lamoureux
Sent: October 21, 2015 8:11 AM
To: Phyllis Beaulieu
Subject: Re: Renewal of water licence

Hi Phyllis,

Great, thanks for all of this. I'll get the payment moving and the related materials.

Regards,

Scott

Scott Lamoureux
Professor
Department of Geography and Planning
Queen's University
Kingston, ON K7L 3N6

Phone: 613-533-6033
Fax: 613-533-6122
scott.lamoureux@queensu.ca
<http://cbawo.blogspot.ca/>

From: Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>
Sent: October 20, 2015 6:09 PM
To: Scott Lamoureux
Subject: Re: Renewal of water licence

thank you for the response. I've sent a separate email and hope it will suffice as an invoice for payment. Attached is the application for approval without a licence. Once we receive your request to close 3BC-CBA1015, our office will notify AANDC to request a final closure inspection for the B type file then we can move forward with the approval without.

Regards,



Phyllis Beaulieu- ᐱᕐᕐᕐ ᐸᕐᕐ

Manager of Licensing- Responsable des Permis

ᐱᕐᕐᕐ ᐸᕐᕐ ᐸᕐᕐ ᐸᕐᕐ Maniyauyuq Laisalignimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᐱᕐᕐᕐ ᐸᕐᕐ ᐸᕐᕐ ᐸᕐᕐ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Cijoa Haven, NU, X0B 1J0

C.P. 119

Cijoa Haven (Nunavut), X0B 1J0

ᐱᕐᕐᕐᕐᕐ 119

ᐸᕐᕐᕐᕐᕐ, ᐱᕐᕐᕐᕐ X0B 1J0

Titigagaqvia 119

Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᐸᕐᕐᕐᕐ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐸᕐᕐᕐᕐ / Fax-kut: (867) 360-6369

Toll Free / Sans Frec / ᐸᕐᕐᕐᕐᕐᕐ / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Tue, Oct 20, 2015 at 3:11 PM, Scott Lamoureux <scott.lamoureux@queensu.ca> wrote:

Hi Phyllis,

Thanks for your response. I would say that we could switch over to approval without a licence, so I will proceed to close the B licence. The fees won't be a problem, but is possible to get an invoice for our accountants? I'll send a report asap.

Regards,

Scott

Scott Lamoureux
Professor
Department of Geography and Planning
Queen's University
Kingston, ON K7L 3N6

Phone: 613-533-6033

Fax: 613-533-6122

scott.lamoureux@queensu.ca

<http://cbawo.blogspot.ca/>

From: Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Sent: October 20, 2015 11:57 AM

To: Scott Lamoureux

Subject: Re: Renewal of water licence

Good morning Scott, Your current water licence does not expire until September 30th of this year. Do you wish to continue with the type B licence or switch over to an approval without a licence? you qualify for an approval without if you wish to change over. All that is required is to ensure that all



Phone: 613-533-6033
Fax: 613-533-6122
scott.lamoureux@queensu.ca
<http://cbawo.blogspot.ca/>

From: Scott Lamoureux
Sent: September 10, 2015 4:56 PM
To: Phyllis Beaulieu
Subject: Re: Renewal of water licence

Hi Phyllis,

My licence is 3BC-CBA1015.

Regards,


Scott

Scott Lamoureux
Professor
Department of Geography and Planning
Queen's University
Kingston, ON K7L 3N6

Phone: 613-533-6033
Fax: 613-533-6122
scott.lamoureux@queensu.ca
<http://cbawo.blogspot.ca/>

From: Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>
Sent: September-10-15 1:38 PM
To: Scott Lamoureux
Subject: Re: Renewal of water licence

Hi Scott, what is your current water licence number?



ᐃᐅᑦᓂᐱ ᑕᐃᔭᑦᓴᑦᓂᐱᑦ - Maniyauyuq Laisaliginiqmun

ᓄᓇᑦ ᐃᓕᓕᓕᓕ ᑲᑎᓕᓕᓕ - NUNAVUT IMALIRIYIN KATIMAYINGI

Uqhuqhuq, NU, X0B 1J0

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

Phone: 613-533-6033
Fax: 613-533-6122
scott.lamoureux@queensu.ca
<http://cbawo.blogspot.ca/>