



NWB Tools

Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

Re: 3BC-ERI1011 - Expired Email 1 of 2

2 messages

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Wed, Feb 25, 2015 at 10:34 AM

To: Andrew Keim <Andrew.Keim@aandc-aadnc.gc.ca>

Cc: Keith Dewing <Keith.Dewing@nrcan-mcan.gc.ca>, NWB Sean Joseph <sean.joseph@nwb-oen.ca>, Robin Ikkutisluuk <robin.ikkutisluuk@nwb-oen.ca>

Good morning Andrew and Keith, I have reviewed the file and report there are no outstanding issues from the Nunavut Water Board (NWB). Once a final inspection is provided from AANDC, the NWB will close this file.

Regards,



Phyllis Beaulieu- Δατ' >ατ'

Manager of Licensing- Responsable des Permis

ᐃᓄᑦᕆᔭ ᑕᐱᑦᕈᑦ Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᑭᓂᓐᓂᓐ ᐃᓕᓕᓂᓐ ᑲᑎᓕᓂᓐ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjøa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

ဂဏန်းအရ ၁၁၉

▷(12)2, 259 X013 110

Titigacaqvia 119

Ughmugma, NU, X013 110

Tel / Téléphone / ལྷན་སྐྱོར་ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ལྷན་སྐྱོར་ / Fax-kut: (867) 360-6369

Toll Free / Sans Free / ᐱᕈᖅᓴᕋᕆᔭᖅ / Akiittug : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Wed, Feb 11, 2015 at 7:55 AM, Andrew Keim <Andrew.Keim@aandc-aadnc.gc.ca> wrote:

Phyllis,

I have received the following with respect to 3BC-ER1011.

The Licensee has indicated they wish to close the license and this site has been put on our 2015 Inspection Plan for the coming year.

Would you please review your file and advise this office and the client if there is anything else required to facilitate the closure of this license subject to a final inspection.

Many thanks

Andrew Keim
Water Resources Officer
Field Operations Unit
Aboriginal Affairs and Northern Development Canada
Nunavut Regional Office
P.O. Box 100

Mon, Apr 6, 2015 at 6:11 AM

To: Andrew Keim <Andrew.Keim@aandc-aadnc.gc.ca>

Cc: Keith Dewing <Keith.Dewing@nrcan-mcan.gc.ca>, Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>, Technical Department <technical@nwb-oen.ca>

Acknowledged as received and in our queue for processing.



Phyllis Beaulieu- Δαφνίη Σαββή

Manager of Licensing- Responsable des Permis

ᐃᑦᓴᓂ ᐅᐱᓕᓂᓄᐱᓪᓗᒃ- Maniyauyuq Laisaliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓴᑦ ᐃᐭᓕᓂᓴᑦ ᑲᓂᐭᓴᓴᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆ ခုနှစ် ၁၁၉
 ၂၀၁၆ ခုနှစ် ၁၁၉

Titigaqavua 119
Uqhuqhuq, NU, X013 110

Tel / Téléphone / ལྷན་སྐྱོད་ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ལྷན་སྐྱོད་ / Fax-kut: (867) 360-6369

Toll Free / Sans Free / ᐱᓂᓴᑦᓴᓴᑦ / Akiittug : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Wed, Feb 11, 2015 at 7:55 AM, Andrew Keim <Andrew.Keim@aandc-aadnc.gc.ca> wrote:

Phyllis,

I have received the following with respect to 3BC-ERI1011.

The Licensee has indicated they wish to close the license and this site has been put on our 2015 Inspection Plan for the coming year.

Would you please review your file and advise this office and the client if there is anything else required to facilitate the closure of this license subject to a final inspection.

Many thanks

Andrew Keim
Water Resources Officer
Field Operations Unit
Aboriginal Affairs and Northern Development Canada
Nunavut Regional Office
P.O. Box 100
Iqaluit, Nunavut X0A 0H0
Andrew.Keim@aandc-aadnc.gc.ca
Phone: (867) 975-4289
Fax: (867) 979-6445

5/25/2015

Nunavut Water Board Mail - Re: 3BC-ERI1011 - Expired Email 1 of 2

| B.B (867) 222- 6488