



WATER LICENCE INSPECTION FORM

☐ Original

☐ Follow-Up Report

Licensee		Licensee Representative	
Dr .Jeffery M. Saarela		N/A	
Licence No. / Expiry		Representative's Title	
3BC-FCA1212			
Land / Other Authorizations		Land / Other Authorizations	
Date of Inspection		Inspector	
July 4, 2018		Jonathan Mesher	
Activities Inspected			
<input checked="" type="checkbox"/> Camp	<input type="checkbox"/> Drilling	<input type="checkbox"/> Mining	<input type="checkbox"/> Construction
<input type="checkbox"/> Roads/Hauling	<input type="checkbox"/> Other:	<input type="checkbox"/> Other:	<input type="checkbox"/> Reclamation
			<input type="checkbox"/> Fuel Storage

Conditions:	A- Acceptable	U-Unacceptable	C-Concern	NI-Not Inspected	NA- Not applicable
PART:		Item No. *	Condition	Observation No. *	
A: SCOPE, DEFINITIONS AND ENFORCEMENT			A		
B: GENERAL CONDITIONS			A		
C: CONDITIONS APPLYING TO SECURITY			A		
D: CONDITIONS APPLYING TO WATER USE			A		
E: CONDITIONS APPLYING TO WASTE DISPOSAL AND MANAGEMENT			A		
F: CONDITIONS APPLYING TO MODIFICATIONS			A		
G: CONDITIONS APPLYING TO CONSTRUCTION			A		
H: CONDITIONS APPLYING TO EMERGENCY RESPONSE AND CONTINGENCY PLANNING			A		
I: CONDITIONS APPLYING TO ABANDONMENT, RECLAMATION AND CLOSURE PLANNING			A		
J: CONDITIONS APPLYING TO MONITORING			A		
SCHEDULES			A		
*The item number corresponds with specific conditions within the licence and the observation number corresponds with specific comments provided below.					
Samples taken by Inspector:		Location(s):			
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					

SECTION 1	<input checked="" type="checkbox"/> Comments (s.____)	<input type="checkbox"/> Non-Compliance with Act or Licence (s.____)	<input type="checkbox"/> Action Required (s.____)
<p>A final inspection was conducted of usage of water the licence 3BC-FCA1212 on July 4, 2018, by Jonathan Mesher a Water Resource Officer with CIRNAC.</p> <p>While on site there was no apparent usage of water or deposit of waste and the site appeared to be remediated back to pristine condition.</p> <p>There will be no future inspections in relation to the usage of water and/or deposit of waste at this location, unless there is future approval for the usage of water and/or deposit of waste in accordance with a water licence.</p>			
SECTION 2	<input type="checkbox"/> Comments	<input type="checkbox"/> Non-Compliance with Act or Licence	<input type="checkbox"/> Action Required
Click here to enter text.			
SECTION 3	<input type="checkbox"/> Comments	<input type="checkbox"/> Non-Compliance with Act or Licence	<input type="checkbox"/> Action Required
Click here to enter text.			

Licensee or Representative	Inspector's Name
Dr. Jeffery M. Saarla	Jonathan Mesher
Signature	Signature
Date	Date
	August 10, 2018



Office Use Only:

Follow-up report to be issued by Inspector

☐ Yes ☐ No

CC: Licensing Department, NWB
 Justin Hack, Manager of Field Operations, CIRNAC