



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
Fax: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓪᓴᓪ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

April 21, 2011

File No: 3BC-MBA0919/TR/H1

David Burgess, Ph.D.
Research Scientist
Geological Survey of Canada, Northern Canada Division
Room 516, 601 Booth Street
Ottawa, ON K1A 0E8
E-mail: david.burgess@nrcan-rncan.gc.ca

Subject: Submission of 3BC-MBA0919 Revised Spill Contingency Plan

Dear Dr. Burgess:

The Nunavut Water Board ("NWB") acknowledges receipt of a submission from Dr. David Burgess, Ph.D entitled Revised Spill Contingency Plan, received on February 24, 2011 as a requirement of Part H, Item 1 of water license 3BC-MBA0919. This submission has been placed on the NWB public registry and is available from the NWB ftp site.

The NWB gives interested persons thirty (30) days to review the submission and make representations to the NWB. All representations shall be submitted to the NWB by mail, fax or email before May 19, 2011, 5:00 pm Mountain Standard Time. At the end of the review period the NWB will review all submissions and you will be contacted should concerns arise or should additional information be needed. Thank you.

Please forward all comments to licensing@nunavutwaterboard.org

Sincerely,

Original signed by:

Phyllis Beaulieu
Manager of Licensing

Cc: Qikiqtani Distribution List