

Doreen Porter <doreen.porter@nwb-oen.ca>

1 message

Mon, Feb 16, 2015 a

Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

The Nunavut Water Board (“NWB”) acknowledges receipt, on February 2, 2015, of the 2014 Annual Summary Report for the above water licence, a requirement of Part B, Item 2 of the current licence.

[ftp://nunavutwaterboard.org/1%20PRUC%20PUBLIC%20REGISTRY/3%20MUNICIPAL/3B20-%20Camp/3BC-NEI1215%20Copland/3%20TECH/1%20GENERAL%20\(B\)/2%20ANNU20RPT/2014/](ftp://nunavutwaterboard.org/1%20PRUC%20PUBLIC%20REGISTRY/3%20MUNICIPAL/3B20-%20Camp/3BC-NEI1215%20Copland/3%20TECH/1%20GENERAL%20(B)/2%20ANNU20RPT/2014/)

This notification is forwarded to interested parties for information only.

Sincerely,



Doreen Porter- 309.9 309C

Pədlənσ⁹⁶J' dDl'nɔʃ Δbɛ⁹⁸N- Kiinauyaliqutitut Aulatytutinut Ikayuḡti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑦ ᐃᓕᓇᑦ ᑲᑎᓕᓴᑦ - NUNAVUT IMALIRIYIN KATIMAYING

www.nwb-oen.ca

Titigaqvia 119
Uqhuqtina, NU, X013 1

Tel / Téléphone / ᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅ / Fax-kut: (867) 360
Toll Free / Sans Free / ᐅᐅᐅᐅᐅᐅᐅ / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre perso la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez inform l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



