



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

RE: 3BC-PRO0914- Expired (Re-sent with correct email address)

1 message

Andrew Keim <Andrew.Keim@aandc-aadnc.gc.ca>

Wed, Feb 4, 2015 at 7:20 AM

To: peter.huelse@casp.cam.ac.uk

Cc: Erik Allain <Erik.Allain@aandc-aadnc.gc.ca>, phyllis.beaulieu@nwb-oen.ca

Good Morning Peter,

Thank you for your inquiry. I will do my best to assist you in any way I can.

First , The expired license 3BC-PRO0914,

CASP has transition-ed to the new Approval Without a License process that the Nunavut Water Board (NWB) has initiated.

This is great but the expired license still exists and must be canceled. This is done through an application for closure to the NWB.

Phyllis would be the best person to discuss this with and can provide you the easiest process to follow.

Note that an Inspection was completed (2014) on the sites listed and the License was recommended for closure in the In the Inspection Report so a simple request to the Board should facilitate this very quickly.

With respect to the approval without a license issued by the board (8WLC-PRO1415) Expiring on February 23rd , 2015. A Summary Report is due to the Board within 30 days following the expiry of this authorization,

unless a new authorization is issued within that 30 day period. The application for renewal should be sent directly to Phyllis at the Nunavut Water Board as soon as possible to ensure the timely review of your application and a renewal of your authorization prior to March 31st 2015 at which point a the Summary report and a new application would be required.

The Assessment form should be filled out for your project regardless of what authorizations you have (ie: a Water License, Authority without a license, Land Use permit or Quarry Permit).. This assessment allows us to prioritize our Inspection planning by determining the level of activity individual projects carry with them and the impact (if any) they may have. This allows us to ensure that those activities that carry a higher risk are identified and managed properly within the Regulatory system.

I hope this is clear.

I do not have a copy of the application for renewal so I can not forward one to you from this office, I apologize and will take steps to obtain one so that I may also send them to clients upon request. This is clearly an oversight on my part and I apologize for the inconvenience.

Phyllis's contact Information is as follows; Phyllis Beaulieu Manager of Licensing Nunavut Water Board. Licensing@NWB-OEN.CA

Please do not hesitate to contact me if you have any further questions and I look forward to reviewing your Assessment Form and Application for Closure request in the near future.

Respectfully,

Andrew Keim
Water Resources Officer
Field Operations Unit
Aboriginal Affairs and Northern Development Canada
Nunavut Regional Office
P.O. Box 100
Iqaluit, Nunavut X0A 0H0
Andrew.Keim@aandc-aadnc.gc.ca
Phone: (867) 975-4289
Fax: (867) 979-6445
B.B (867) 222- 6488
>>> "Peter Huelse" <peter.huelse@casp.cam.ac.uk> 2/4/2015 6:50 AM >>>

Hi Andrew,

Thank you for your emails.

As we did in 2014, I would like to apply for an "Approval for the use of water without a license" (last year approval #: 8WLC-PRO1415).

I assume, that in this case I do not need an extension of our original license. Please correct me, if that is wrong.

Regarding that I have two questions:

- 1) Do I send the application for "Approval for the use of water without a license" to you, or to Phyllis Beaulieu like in the previous years?
- 2) Can I use the assessment form, that you provided, for my application? (I had difficulties loading the Nunavut Water Board webpage.)

Many thanks for your help!

Peter

From: Andrew Keim [mailto:Andrew.Keim@aandc-aadnc.gc.ca]
Sent: 30 January 2015 19:08
To: peter.huelse@casp.cam.ac.uk
Cc: Erik Allain
Subject: RE: 3BC-PRO0914- Expired (Re-sent with correct email address)

Peter,

If you do not plan to extend the term of the original and now expired water license (3BC-PRO0914) please also indicate that and request a closure of the license to the NWB.
I have included here a report on an inspection conducted in 2014 on the sites listed as used in 2013. The report I note was sent to Helen Smyth and not yourself and was subsequently bounced back to our offices and not redirected.
I apologize for that oversight on our part.

Please let me know if you have any questions or concerns related to your continued projects and operations here in Nunavut.

Andrew Keim
Water Resources Officer
Field Operations Unit
Aboriginal Affairs and Northern Development Canada
Nunavut Regional Office
P.O. Box 100
Iqaluit, Nunavut X0A 0H0
Andrew.Keim@aandc-aadnc.gc.ca
Phone: (867) 975-4289
Fax: (867) 979-6445
B.B (867) 222- 6488

>>> "Peter Huelse" <peter.huelse@casp.cam.ac.uk> 1/30/2015 1:08 PM >>>

Dear Andrew,

Thank you for your email. I will return the assessment as soon as possible. Sorry again for your difficulties reaching us.

Best wishes,

Peter

From: Andrew Keim [<mailto:Andrew.Keim@aandc-aadnc.gc.ca>]
Sent: 29 January 2015 14:43
To: peter.huelse@casp.cam.ac.uk
Cc: Erik Allain; phyllis.beaulieu@nwb-oen.ca
Subject: 3BC-PRO0914- Expired (Re-sent with correct email address)

Peter Hülse or Dr. Helen R. Smyth
CASP, University of Cambridge
West Building
181a Huntingdon Road
Cambridge, CB3 0DH, UK
Email: helen.smyth@casp.cam.ac.uk

The Field Operations Unit of Aboriginal Affairs and Northern Development Canada is currently engaged in conducting our annual Risk Prioritization Exercise in preparation for the 2015 field season.

It has come to our attention that the above noted Water license for work conducted between 2009 and 2014 has expired. A review of the file submissions is unable to produce either an application for renewal or an application for cancellation of the expired License. It is AANDC's understanding that the above noted license was replaced by the Nunavut Water Board with an annual Authority without a License (8WLC PRO1415) however the final disposition of the expired license must still be addressed.

In addition to the enclosed assessment form to be completed and returned to our offices by March 31st 2015, I have also included a copy of your Water License . I appreciate your cooperation as we move ahead with this file.

If you have any questions or concerns please do not hesitate to contact myself or the Manager of Licensing at the Nunavut Water Board, Phyllis Beaulieu Manager of Licensing Nunavut Water Board.
Licensing@NWB-OEN.CA

Thank you in advance for your continued cooperation,

Respectfully,

Andrew Keim
Water Resources Officer
Field Operations Unit
Aboriginal Affairs and Northern Development Canada
Nunavut Regional Office
P.O. Box 100
Iqaluit, Nunavut X0A 0H0
Andrew.Keim@aandc-aadnc.gc.ca
Phone: [\(867\) 975-4289](tel:(867)975-4289)
Fax: [\(867\) 979-6445](tel:(867)979-6445)
B.B [\(867\) 222- 6488](tel:(867)222-6488)