



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓱᓂᓪ ᑲᑎᓕᓂᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

File: **3BC-PRO0914/TR/H1**

November 05, 2010

Dr. Helen Smyth
CASP, West Building
181a Huntingdon Road
Cambridge, CB3 0DH
United Kingdom
E-mail: Helen.smyth@casp.cam.ac.uk

Subject: Licence No. 3BC-PRO0914, “Raanes Peninsula, Ellesmere Island” Qikiqtani Region, Nunavut, University of Cambridge – Cambridge Arctic Shelf Programme; Submission of the Addendum to the Spill Contingency Plan

Dear Ms. Smith:

On November 05, 2010, the Nunavut Water Board (“NWB”) acknowledged the receipt of the Addendum to the Spill Contingency Plan entitled “CASP’s spill contingency plan for “The Provenance of Clastic Sediments in the Sverdrup Basin, Canadian Arctic Islands” (3BC-PRO)” (Plan), as a requirement of Part H, Item 1 of the Amendment No.1 to the license 3BC-PRO0914.

The Addendum was found to be meeting the reporting requirements of licence and Amendment No.1 to the licence 3BC-PRO0914. However, the NWB will appreciate the inclusion of the name of the person in charge in the future revision of the Plan.

Should you have any questions, please feel free to contact the undersigned at (867) 360-6338 Ext. 30, at your earliest convenience.

Yours truly,

Original Signed By:

Karén Kharatyan
Technical Advisor

cc: Distribution List – Qikiqtani