

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Re: [Licensing] Re: 3BC-PVD1112 - Expired and 3BC-PVE1313 Expired - Replaced by 8WLC-PVE1415

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Mon, Mar 2, 2015 at 4:47 PM

To: Andrew Keim < Andrew. Keim@aandc-aadnc.gc.ca>

Cc: Neil Shubin <neil.shubin@gmail.com>, Licensing Department <Licensing@nwb-oen.ca>, Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>, Erik Allain <Erik.Allain@aandc-aadnc.gc.ca>

This is to advise that the following requirements are still outstanding on this file.

- 1. No annual report received
- 2. No addendum to the spill plan provided with the annual report as required under .
- 3. An outstanding balance for the admin fee of \$2.34 CDN is still outstanding
- The water use fee of \$30.00 CDN is outstanding as well.

Regards,



Phyllis Beaulieu- & < > < >

Manager of Licensing- Responsable des Permis

| DC () と こんちになる | Company |

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT ••• AL-A- 60L- - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0 C.P. 119 Gjoa Haven (Nunavut), X0B 1J0 በበናዔዔሌዜ 119 ኦ'ራሜት, ፌፌን' X0B 1J0 Titigaqaqvia 119 Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / パペトトĆ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / パートゥーグ / Fax-kut: (867) 360-6369

Toll Free / Sans Free / ⟨ ♀ゥゥーゥー / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Tue, Feb 3, 2015 at 12:47 PM, Andrew Keim Andrew.Keim@aandc-aadnc.gc.ca wrote:

Robyn,

Con you confirm a cancellation request was submitted and that all the annual report etc have been filed please and thank you .

Andrew Keim
Water Resources Officer
Field Operations Unit
Aboriginal Affairs and Northern Development Canada
Nunavut Regional Office
P.O. Box 100

Igaluit, Nunavut X0A 0H0 Andrew.Keim@aandc-aadnc.gc.ca

Phone: (867) 975-4289 Fax: (867) 979-6445 B.B (867) 222-6488

>>> Neil Shubin <neil.shubin@gmail.com> 1/21/2015 4:22 PM >>>

Hello Andrew.

Thank you for your note.

We filed a Cancellation for 3BC-PVE1313 as the collapse of our funding situation precluded the work. We worked with Robin Ikkutisluk to rectify this matter last Winter and Spring. I have cc'd her and await advice on how to proceed.

With thanks.

Neil

On Wed, Jan 21, 2015 at 3:15 PM, Andrew Keim Andrew.Keim@aandc-aadnc.gc.ca wrote:

Department of Organismal Biology and Anatomy

10127 E 57th Street University of Chicago Chicago, IL 60637 USA Email: neil.shubin@gmail.com

Mr. Shubin,

The Field Operations Unit of Aboriginal Affairs and Northern Development Canada is currently engaged in conducting our annual Risk Prioritization Exercise in preparation for the 2015 field season.

It has come to our attention that the above noted Water licenses for work conducted between 2011 and 2012 and 2013 respectively have expired and that a number of required Annual Reports remain outstanding to the Nunavut Water Board and the Inspector. Additionally a review of the files is unable to produce either an application for renewal or an application for cancellation of the expired Licenses.

It is AANDC's understanding that the above noted license (3BC-PVE1313) was replaced by the Nunavut Water Board with an annual Authority without a License (8WLC-PVE1415). This new Authorization without a License however also does not release the Licensee from the Liability associated with the now expired License. The final disposition of the expired license must still be addressed.

In addition to the enclosed assessment form to be completed and returned to our offices by March 31st 2015, I have included a copy of your Water License. I appreciate your cooperation as we move ahead with this file. If you have any questions or concerns please do not hesitate to contact myself or the Manager of Licensing at the Nunavut Water Board, Phyllis Beaulieu Manager of Licensing Nunavut Water Board.

Licensing@NWB-OEN.CA

Thank you in advance for your continued cooperation,

Respectfully, Andrew Keim Water Resources Officer Field Operations Unit Aboriginal Affairs and Northern Development Canada Nunavut Regional Office P.O. Box 100 Igaluit, Nunavut X0A 0H0 Andrew.Keim@aandc-aadnc.gc.ca

Phone: (867) 975-4289 Fax: (867) 979-6445 B.B (867) 222-6488

Neil H. Shubin

Senior Advisor to the President Robert R. Bensley Distinguished Service Professor of Anatomy The University of Chicago 1027 E. 57th Street Chicago, IL 60637