



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

kNK5 wmoEp5 vtmpq
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

File No: 3BM-ARC0810

September 22, 2008

Bhabesh Roy
Community & Government Services
PO Box 379
Pond Inlet NU X0A 0S0
Email: BRoy@gov.nu.ca

Subject: Hamlet of Arctic Bay - Amendment – Type “B”

Dear Mr. Roy:

The Nunavut Water Board (“NWB”) acknowledges receipt, on September 5, 2008 of BGCs submission entitled **NWB 3BM-ARC0810 ARCTIC BAY SEWAGE LAGOON WATER LICENSE AMENDMENT – GEOTECHNICAL AND GEOTHERMAL REVIEW**. This submission can be obtained from our ftp site, **Username: public, Password: registry** at the following link:

<ftp://nunavutwaterboard.org/3BM%20-%20MUNICIPAL/3BM-ARC/2008%20Amendment/Comments&Intervenors>

or by contacting our office.

Government of Nunavut are requested to respond to this submission prior to October 13, 2008.

Sincerely,

Original Signed By:

Phyllis Beaulieu
Manager of Licensing

Cc: Distribution List – Qikiqtani