


GENERAL NOTES:

1. EXISTING BERMS TO BE EXCAVATED AND MATERIAL DEPOSITED IN THE BOTTOM OF THE LAGOON.
2. AREA TO BE FILLED WITH WELL GRADED GRANULAR MATERIAL WITH A MAXIMUM SIZE OF 200mm.
3. GRANULAR MATERIAL TO BE SPREAD BY A BULLDOZER IN MAXIMUM 300mm LIFTS TO OBTAIN A MINIMUM OF 80% STANDARD PROCTOR DRY DENSITY.
4. FINAL SURFACE TO BE GRADED TO ENSURE POSITIVE DRAINAGE AWAY FROM THE LAGOONS.



LEGEND

PERMIT OF PRACTICE
TROW ASSOCIATES INC.

Signature *John B. Bernal*

Date *Apr 28, 2008*


PERMIT NUMBER: P184

The Association of Professional Engineers
Geologists and Geophysicists of the NWT/NU

BENCH MARK

BM 1 **ELEV. = 59.12**
CONTOUR ELEVATIONS WERE DREIVED FROM NAD 83 CONTROL
MONUMENT 7038914 LOCATED NORTH OF THE ARCTIC BAY
AIRPORT UNDER CONSTRUCTION.

0				
No.	DESCRIPTION	DATE	BY	APP'D
R E V I S I O N S				



Trow Associates Inc.

154 Colonnade Road South
Ottawa, Ont. K2E 7J5

Tel:(613)225-9940
Fax:(613)225-7337

Fax: (613) 225-7337

CLIENT

GOVERNMENT OF NUNAVUT

PROJECT

ARCTIC BAY
DECOMMISSIONING
EXISTING LAGOON

TITLE

CROSS SECTIONS

design by	SAD
-----------	-----

project no.	OTCD00019054B
-------------	---------------

drawn by MMR

drawing no.

checked by	SIR
------------	-----

date	15 /01 /2008
------	--------------

15/01/2008
score

CS-1