



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᓂᓕᓂᓪ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

File No: 3BM-CAM0207

May 8, 2008

Brian Aglukark
Nunavut Planning Commission
P.O. Box 141
Arviat, NU X0E 0C0
Email: aglukark@npc.nunavut.ca

Subject: Hamlet of Cambridge Bay – Cambridge Bay Water Licence Renewal – Land Use Plan Conformity Review – Renewal Application

The Nunavut Water Board received an application for renewal of water licence on August 31, 2007 from Hamlet of Cambridge Bay for water use and waste disposal associated with municipal operations for the Hamlet of Cambridge Bay in the Kitikmeot region. This application for renewal of licence is deemed a “project proposal” under the NLCA and is subject to the provisions of Article 11, 12, and 13 of the NLCA.

In accordance with S.11.5.10 of the *Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada*, this project proposal shall be reviewed by the Nunavut Planning Commission to determine conformity with an approved land use plan, before it can be processed by the Nunavut Water Board.

The application documents are available through the internet on our ftp site, **Username: public, Password: registry**, at the following link:
<ftp://nunavutwaterboard.org/3BM%20-%20MUNICIPAL/3BM-CAM/>

Upon completion of the review, please forward the project proposal with your determination and any recommendations to the Nunavut Impact Review Board, in accordance with Article 12, and to our office or other appropriate federal or territorial agencies as required. The Nunavut Water Board would appreciate receiving a copy of any correspondence that would indicate the status of the conformity determination.

Sincerely,

Richard Dwyer
Licensing Administrator

Cc: Applicant
Leslie Payette, NIRB