



Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Licence 3BM-CAM0914- Renewal Application

1 message

Sean Joseph <sean.joseph@nwb-oen.ca>

Fri, Feb 7, 2014 at 2:51 PM

To: salam@gov.nu.ca

Cc: Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Good Afternoon, Shaw:

As a follow-up to our discussion yesterday, the Nunavut Water Board (NWB or Board) has completed its preliminary review of the above-mentioned application and supporting information (Application), received on January 9, 2014, from the Government of Nunavut – Community and Government Services (GN-CGS) on behalf of the Hamlet of Cambridge Bay (Hamlet) for the renewal of Licence 3BM-CAM0914. The review has determined that the following documents remain outstanding and should be submitted before the Application could proceed to the next stage(s) of the licensing process:

1. Part B, Item 1: Annual Report for 2013. While the Board is aware that the Hamlet's 2013 Annual Report is due on March 31, 2014, the NWB recommends that the report be submitted as soon as possible so that it can be included with any documents potentially distributed by the NWB under the Application.
2. Executive summaries in Inuktitut and Inuinnaqtun. This is a standard requirement that must accompany water licence applications for projects located within the Kitikmeot Region.
3. Part F, Item 1: an updated Operations and Maintenance Manual, for Board approval, within ninety (90) days of issuance of the licence.
4. Part F, Item 3: Reports related to annual inspections of all engineered facilities associated with the management of water and waste.
5. Part G, Item 1: Abandonment and Restoration Plan for facilities and infrastructure associated with the old potable water intake structure.

The NWB notes that although the Hamlet has included in its application specific timelines by which it intends to submit some of the requirements above, the absence of these documents make it extremely difficult for the Board to proceed further with the Application as these documents have been outstanding since 2009.

The Board therefore requests that the Hamlet advance the proposed submission timelines so that the Board could proceed in a timely with the renewal application for Licence 3BM-CAM0914, which is set to expire on March 31, 2014.

Regards,

Sean



Sean Joseph- ᓄᓐ ᓇᓇ

Technical Advisor- Conseiller technique

ᐱᓗᓖᓄᓐᓗᓕᓕᓐᓗᓕ ᐃᓄᓖᓄᓐ- Piluaqnaqtuliginimun Ikavutqi

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓗᓕ ᐃᓕᓕᓗᓕ ᓄᓕᓕᓗᓕ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.NunavutWaterBoard.org

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

ᓂᓂᓖᓄᓐᓗᓕ 119
ᓄᓇᓗᓕ, ᓄᓇᓗᓕ X0B 1J0

Titigaqvia 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᓂᓇᓇᓇᓇ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓂᓇᓇᓇᓇ / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email