

Google Groups

140318 3BM-CAM0914 Hamlet of Cambridge Bay-Renewal-Type B-Kitikmeot

me <megan.porter@nwb-oen.ca>

Mar 18, 2014 2:21 PM

Posted in group: **Licensing Department**

TO ALL PARTIES:

PLEASE NOTE THE DEADLINE FOR COMMENTS IS APRIL 18, 2014.

The Nunavut Water Board ("NWB") acknowledges receipt, on January 9, 2014, of a renewal application for a Type "B" water license for water use and waste disposal associated with activities in the Kitikmeot region of Nunavut. The application consists of the following documents:

- As-built drawings of facilities
- Authorization Letter
- Cover Letter
- QA-QC plan for Sewage and Solid Waste
- Renewal Application
- Sewage and Solid waste sample results
- Executive Summary English
- Water bacterial test results 2013
- Response to Deficiencies
- Appendix A 2009 NWB Water Licence
- Appendix B Contact List
- Appendix C Operation Policies
- Appendix D Landfill and Lagoon record drawings
- Appendix E Spill Contingency plan
- Appendix F QA-QC plan
- Appendix G Water sampling forms and documents
- Appendix H Decant pump manual
- Appendix I Forms
- Cover Letter and Appendices
- Executive Summary Inuinnaqtun
- Letter to NWB- O and M Manual MSW
- Municipal Solid waste disposal facility O and M
- Email Correspondence Application
- Sewage Lagoon O and M Manual

The application can be obtained from our ftp site under PRUC with Username: **public**, Password: **registry**.

The NWB undertook a preliminary review of your application and concluded that it meets the requirements of section 48(1) of the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* ("Act"). However, the NWB retains the right to request additional information and studies pursuant to sections

48(2) of the Act or to issue guidelines for the provision of information pursuant to section 48(3) of the Act. A NWB Technical Advisor may be in touch with you to clarify any technical details related to your application.

In accordance with S.11.5.10 of the *Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada* ("NLCA"), prior to the application being fully processed by the NWB the project proposal shall be reviewed by the Nunavut Planning Commission ("NPC"), to determine whether the project proposal is in conformity with an approved land use plan. By copy of this letter, the NWB requests the NPC provide its determination and recommendations to the NWB pursuant to Sections 13.4.2 through 13.4.5 of the NLCA, or written confirmation that the project proposal falls outside the boundaries of an approved land use plan. Also, by copy of this letter to the Nunavut Impact Review Board ("NIRB"), the NWB requests that if the project proposal requires screening, the NIRB provide the NWB with a determination pursuant to Section 13.5.1 of the NLCA. If the project is exempt from screening pursuant to Schedule 12-1 of the NLCA, the NWB requests written confirmation from the NIRB that the project proposal is in fact exempt from screening.

To ensure this application is dealt with in a timely fashion, the NWB forwards notice of all documentation to regulators and council of the municipality(ies) most affected by the project, inviting interested parties to make representation directly to the NWB **within 30 days from the date of this letter**. The NWB may provide additional procedural instructions once the application has been reviewed by interested parties.

Regards,



Licence Administrator Assistant- Administratrice des permis
 ᑕᐃክሮጋፍፓᑦ ᐃᑲᔪፍᑲ- Laisaliginiqmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓴᓐ ᐱᓕᓂᓴᓐ ᑲᓂᓴᓴᓐ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

Titigaqavua 119
Uqhuqtuuq, NU, X0B 1J0

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email