

**From:** [Andrew Keim](mailto:Andrew.Keim@cambridgebay.ca)  
**To:** [sking@cambridgebay.ca](mailto:sking@cambridgebay.ca)  
**Cc:** [David Abernethy](#); [Ian Parsons](#); [Phyllis Beaulieu](#)  
**Subject:** Re: Fwd: FW: Sewage Lagoon Discharge  
**Date:** Wednesday, October 05, 2011 2:43:15 PM

---

Stephen King  
Senior Administrative Officer  
Municipality of Cambridge Bay  
PO Box 16  
Cambridge Bay, NU X0B 0C0  
RE: Lagoon Decant notification.

Mr. King,

Thank you for the notification as required under the license.  
Please proceed as required .  
Please ensure the required sampling is completed as required by the Water License now that the new facilities are operational and that the results are included in the 2011 Annual Report.

If you have any questions or require any clarification please do not hesitate to contact our offices at your earliest convenience.

Sincerely,

Andrew Keim  
Water Resources Officer  
INAC Nunavut Regional Office  
P.O. Box 100  
Iqaluit, Nunavut X0A 0H0  
**\*NEW Email:** [Andrew.Keim@aandc-aadnc.gc.ca](mailto:Andrew.Keim@aandc-aadnc.gc.ca)  
Phone: (867) 975-4289  
Fax: (867) 979-6445  
>>> David Abernethy 10/5/2011 3:36 PM >>>  
Forwarding...

>>> Phyllis Beaulieu <[licensing@nunavutwaterboard.org](mailto:licensing@nunavutwaterboard.org)> 10/5/2011 3:06 PM >>>  
Update on intended discharge from Lagoon,  
Regards,

From: Stephen King [<mailto:sking@cambridgebay.ca>]  
Sent: Thursday, September 29, 2011 3:54 PM  
To: Phyllis Beaulieu  
Cc: Rostant, Stuart  
Subject: FW: Sewage Lagoon Discharge

Hi Phyllis,

Further to the previous letter, we expect to decant the sewage lagoon mid to late next week.

Please contact me if you have any questions or comments.

Regards,  
Stephen King  
Senior Administrative Officer  
Municipality of Cambridge Bay  
PO Box 16  
Cambridge Bay, NU X0B 0C0  
Tel: 867-983-4658  
Fax: 867-983-2193  
[www.cambridgebay.ca](http://www.cambridgebay.ca) <<http://www.cambridgebay.ca>>

From: Stephen King  
Sent: September 26, 2011 4:29 PM  
To: Phyllis Beaulieu  
Cc: Rostant, Stuart  
Subject: Sewage Lagoon Discharge

Hi Phyllis,

Could you direct this letter accordingly regarding decanting the sewage lagoon?

Thanks,  
Stephen King  
Senior Administrative Officer  
Municipality of Cambridge Bay  
PO Box 16  
Cambridge Bay, NU X0B 0C0  
Tel: 867-983-4658  
Fax: 867-983-2193  
[www.cambridgebay.ca](http://www.cambridgebay.ca) <<http://www.cambridgebay.ca>>