



P.O. Box 360
Kugluktuk, NU X0B 0E0
Telephone: (867) 982-3310
Fax: (867) 982-3311
www.kitia.ca

May 14, 2012

Kugluktuk
ᑭᓄᓄᓄᓄᓄᓄ

Bathurst Inlet
Kingaok
ᑭᓄᓄᓄᓄᓄᓄᓄ

Bay Chimo
Umingmaktok
ᓄᓄᓄᓄᓄᓄᓄᓄ

Cambridge Bay
Ikaluktutiak
ᓄᓄᓄᓄᓄᓄᓄᓄᓄ

Gjoa Haven
Okhoktok
ᓄᓄᓄᓄᓄᓄᓄᓄ

Taloyoak
ᓄᓄᓄᓄᓄᓄᓄᓄ

Kugaaruk
ᓄᓄᓄᓄᓄᓄᓄᓄ

Ms. Phyllis Beaulieu
Manager of Licencing
Nunavut Water Board
P.O Box 119
Gjoa Haven, NU X0B 1J0

Sent Electronically

Re: 3BM-CAM0914 Modification Upgrades to Existing Water Intake

Dear Ms. Beaulieu:

The Kitikmeot Inuit Association (KIA) has reviewed the application submitted by Stantec on behalf of the Hamlet of Cambridge Bay, and we have no comments at this time.

The KIA would like to thank the NWB for the opportunity to comment on this file. Please feel free to contact us if you have any questions.

Sincerely,

Luigi Torretti, MSc, BComm
Senior Environment Officer
Kitikmeot Inuit Association