

APPLICATION/LICENCE NO:

(Amendment or renewal only) Amendment to license for new sewage treatment system

1. NAME AND MAILING ADDRESS OF APPLICANT/LICENSEE

Hamlet of Cape Dorset
PO Box 030
Cape Dorset, NT XOA OCO

Phone: 867-897-8943 Fax: 867-897-8030

2. ADDRESS OF HEAD OFFICE IN CANADA IF INCORPORATED

Phone: _____ Fax: _____

Nunavut Water Board

JUL 07 2005

Public Registry**3. LOCATION OF UNDERTAKING** (describe and attach a map, indicating watercourse and location of any proposed waste deposits)

The new sewage treatment system is located at P Lake. See attached drawing for location and proximity to the community.

Latitude 76 – 31 W

Longitude 64-31 N

4. DESCRIPTION OF UNDERTAKING (describe and attach plans and drawings)

Construction of a new sewage lagoon and access road. The lagoon will be an annual retention lagoon. Discharge will occur once per year in the fall after the effluent has been tested. See attached drawings for details of the construction.

5. TYPE OF UNDERTAKING

- | | | |
|--|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> Industrial | <input type="checkbox"/> Power | <input type="checkbox"/> Agricultural |
| <input type="checkbox"/> Mining and Milling | <input type="checkbox"/> Conservation | <input type="checkbox"/> Recreation |
| <input type="checkbox"/> Municipal | | |
| <input type="checkbox"/> Other (describe): _____ | | |

6. WATER USE

- | | |
|---|---|
| <input type="checkbox"/> To obtain water | <input type="checkbox"/> Flood control |
| <input type="checkbox"/> To cross a watercourse | <input type="checkbox"/> To divert water |
| <input type="checkbox"/> To modify the bed or bank of water | <input type="checkbox"/> To alter the flow of, or store water |
| <input type="checkbox"/> Other (describe): Change in sewage treatment | |

7. QUANTITY OF WATER INVOLVED (litres per second, litres per day or cubic metres per year, including both quantity to be used and quantity to be returned to source)

No change from current license

8. WASTE DEPOSIT (type, quantity, treatment and disposal)

Sewage disposal. Annual retention lagoon.

See attached report that outlines the lagoon operation and expected treatment levels.

9. OTHER PERSONS OR PROPERTIES AFFECTED BY THIS UNDERTAKING (give name, mailing address and location; attach if necessary)

None

10. PREDICTED ENVIRONMENTAL IMPACTS OF UNDERTAKING AND PROPOSED MITIGATION MEASURES

INT	
FC	dp
TA1	
TA2	
RC	
ED	
CH	
BRD	
EXT.	

Impacts known. P-Lake will no longer sustain forage fish.

11. CONTRACTORS AND SUB-CONTRACTORS (name, address and functions)

Works to be tendered through public tendering process

12. STUDIES UNDERTAKEN TO DATE (list and attach copies of studies, reports, research etc.)

See attached reports

13. THE FOLLOWING DOCUMENTS SHALL BE INCLUDED WITH THE APPLICATION

See attached reports

14. PROPOSED TIME SCHEDULE

Construction to proceed in 2005 with the initiation of the road works. Lagoon construction to occur in 2006. Commissioning of the new system by the fall of 2006.

Name (print)

Title (print)

Signature

Date

For Nunavut Water Board use only

APPLICATION FEE

Amount \$ _____

Receipt No.: _____

WATER USE DEPOSIT

Amount \$ _____

Receipt No.: _____