

## Phyllis Beaulieu

---

**From:** Dionne Filiatrault [exec@nunavutwaterboard.org]  
**Sent:** Wednesday, May 23, 2007 1:25 PM  
**To:** 'Jim Rogers'; Cindy Parker; Atkinson, Mike; claude.constantineau@nunatec.ca; graingerj@ae.ca; abernethyd@inac-ainc.gc.ca  
**Cc:** Phyllis Beaulieu; David Hohnstein  
**Subject:** CAPE DORSET AMENDMENT  
**Importance:** High  
**Attachments:** Cape Dorset-Council.pdf; 100.pdf; 101.pdf; 109.pdf; 112.pdf; 202.pdf; App G - Geotech Report.pdf; sept 12\_20070102094001.pdf; drilling results.pdf; Fig1.pdf; Hamlet Letter to NWB.pdf; CGS - LETTERHEAD-Cape Dorset- April 02, 2007.doc; March 30, 2007 Report Final[1]-Cape Dorset.pdf

Hi Everyone,

As you are aware, Dillon and the GN on behalf of the Hamlet of Cape Dorset filed with the NWB an application for amendment in 2005 for the construction of a new sewage treatment system.

In preparing and undertaking a detailed final internal review of the file it came to our attention that the Parties were notified on September 20<sup>th</sup> following the technical meeting that the applicant needed to submit a stand alone final engineered design report and that this information would be subject to a public review. The NWB has not undertaken a public review on the additional information that was received in January and April 2007. Having said all of this, the NWB committed to provide an amended license to the Hamlet a week ago.

On an urgent basis, the Board would appreciate if the parties could review the attached information and provide comment to the Board no **later than 5:00 pm (MT) Friday May 25, 2007**. While we realize this is a quick turn around, the Board is attempting to resolve the application filed but at the same time give to due consideration for fairness to the applicant and all parties. The Board apologizes for the short time to review the information but hopes that given your prior involvement with the file over the last two years this can be achievable.

Should you wish to discuss this matter further I will be available via **teleconference tomorrow morning at 8:30 am MT (10:30 ET)**. The call in information to participate is as follows: Tel: 877 579-4178. Participant Passcode: 301860#. Please confirm your availability via email.

I can be reached at 867-445-3924.

Regards,  
Dionne

---

Dionne Filiatrault, P. Eng.,  
 A/Executive Director  
 Nunavut Water Board

Tel: 867-360-6338 ext 22  
 Fax: 867-360-6369  
 email: [exec@nunavutwaterboard.org](mailto:exec@nunavutwaterboard.org)