NWB Tools

Ida Porter <ida.porter@nwb-oen.ca>

180914 3BM-CAP0810 Intervenor Response to Applicant-OLAE

Ida Porter <ida.porter@nwb-oen.ca> Fri, Sep 14, 2018 at 10:06 AM
To: "Parsons, Ian (AADNC/AANDC)" <ian.parsons@canada.ca>, "Forte, Sarah (AADNC/AANDC)" <sarah.forte@canada.ca>, "Walker, Eva (EC)" <eva.walker@canada.ca>, "Pinto, Melissa (EC)" <melissa.pinto@canada.ca>
Cc: Assol Kubeisinova <assol.kubeisinova@nwb-oen.ca>

Good morning,

Please find attached Applicant Response, QA/QC Plans, O&M Plan, Sewage Lagoon QA/QC Plan, Revised Solidwaste O & M Plan for 3BM-CAP0810 Licence. Please confirm if you are satisfied with the applicant response by **September 28, 2018**

Regards,
Ida

Ida Porter- ᐊᐃᑕ ᐳᐊᑕ
Licence Administrator- Administratrice des permis
ᓚᐃᓴᓕᕆᔨ ᐊᐅᓚᑦᑎᔨ- Laisaliginiqmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᕆᔨᑦ ᑲᑎᒪᔨᖏᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0
C.P. 119 Gjoa Haven (Nunavut), X0B 1J0
ᑎᑎᕋᖅᑕᐊᖓ 119 ᐅᑦᓱᕐᒧᓐ, ᓄᓇᕗᑦ X0B 1J0
Titigaqqvia 119 Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᓱᕋᔭᐅᑖ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᑲᔪᒃᑯᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐊᑭᖃᖏᑦᑐᖅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

9 attachments

- **180912 3BM-CAP0810 CGS Response to CIRNAC Comments-IMLE (Final).pdf** 250K
- **180912 3BM-CAP0810 CGS Response ECCC comments-ILAE.pdf** 236K
- **180912 3BM-CAP0810 CAP WL-ILAE.pdf** 264K
- **180912 3BM-CAP0810 Final QAQC Plan August 15 2013-IMLE.pdf** 2138K
- **180912 3BM-CAP0810 O & M procedure for existing sewage Lagoons September 2018 (Final)-ILAE.pdf** 1575K
- **180912 3BM-CAP0810 O & M procedure for existing sewage Lagoons-ILAE.pdf** 1575K
- **180912 3BM-CAP0810 Sewage Lagoon QA and QC Plan CD May 23-IAAE(F).pdf** 574K

180912 3BM-CAP0810 Sewage Lagoon QA and QC Plan-ILAE.pdf
574K

180912 3BM-CAP0810 Solidwaste Operation and Maintenance Plan Revised in 2018-ILAE.pdf
1731K