

Jim Wall

From: "Gary Strong" <gstrong@dillon.ca>
To: <Tech1@nwb.nunavut.ca>
Cc: <moggyd@dfo-mpo.gc.ca>; <Sidney.Bruinsma@ec.gc.ca>; <JMcKeaveney@GOV.NU.CA>; <stewarts@inac.gc.ca>
Sent: Tuesday, August 24, 2004 1:27 PM
Attach: cln08-04-05-OLd Lagoon approval.doc
Subject: Fwd: Cape Dorset Sewage Lagoon

Dear Sirs;

The message below was received from the GN, Department of Health.

Attached is the response from the community for the proposed amendments.

I thought that these would be of interest to you in your review of the proposed amendments.

I trust that your review of the proposed amendments is proceeding, and we're hopeful that we can receive authorization to proceed with the works in the coming week (s?).

As always, thanks for your help.

Regards

Gary Strong, P Eng

Dillon Consulting Limited

phone 867-920-4555
fax 867-873-3328

>>> "Hewitt, Tracey" <THewitt@GOV.NU.CA> 8/19/2004 1:23:40 PM >>>

Dear Sirs,

On behalf of the Government of Nunavut, Department of Health and Social Services, Environmental Health has reviewed the final design concept and details of the proposed modifications to the sewage disposal system in Cape Dorset. It is understood that the 380 meter distance to the nearest residential building is a variance from the 450 meter setback pursuant to the General Sanitation Regulations under the Nunavut Public Health Act. Due to the urgency of this situation, interim Health approval is hereby granted for the proposed modifications pending the development of a long term sewage treatment system.

8/24/2004

We look forward to the submission of plans regarding the long term sewage treatment and disposal system.

Yours Truly,

Tracey Hewitt

Tracey Hewitt
tCsy Bsw5
Environmental Health Officer
x8ixcq5goEp4f x?t5ti vmp
Department of Health and Social Services
x8ixc3Nq5goE`p9l wkoE`p9l
PO Box 1000 Station 1046
ttcix=z 1000_NINwfb 1046
Iqaluit, Nunavut X0A 0H0
wclw5,kNK5 X0A 0H0
Phone: scMsb: (867) 975-4817
Fax: hvJf5: (867) 975-4830
thewitt@gov.nu.ca

=====
This message is directed in confidence solely to the person(s) named above and may contain privileged, confidential or private information which is not to be disclosed. If you are not the addressee or an authorized representative thereof, please contact the undersigned and then destroy this message.

Ce message est destiné uniquement aux personnes indiquées dans l'entête et peut contenir une information privilégiée, confidentielle ou privée et ne pouvant être divulguée. Si vous n'êtes pas le destinataire de ce message ou une personne autorisée à le recevoir, veuillez communiquer avec le soussigné et ensuite détruire ce message.